

SPECIFICATIONS FOR CONSTRUCTION ENTRANCE:

- 1. STONE SIZE-COOT #2 (1.5-2.5 INCH) STONE SHALL BE USED, OR RECYCLED CONCRETE EQUIVALENT.
- LENGTH—THE CONSTRUCTION ENTRANCE SHALL BE AS LONG AS REQUIRED TO STABLIZE HIGH TRAFFIC AREAS BUT NOT LESS THAM 70 FT. (EXCEPT ON SINGLE RESIDENCE LOT WHERE A 30-FT, IMPORTM LENGTH APPLIES).
- THICKNESS--THE STONE LAYER SHALL BE AT LEAST 6 IN. THICK FOR LIGHT DUTY DITRANCS OR AT LEAST 10 BICHES FOR HEAVY DUTY USE.
- WORK-THE ENTRANCE SHALL BE AT LEAST 14 FT. WIDE, BUT NOT LESS THAN THE FULL WIDTH AT POINTS WHERE INGRESS AND EGRESS OCCURS.
- 5. GEOTECTILE—A GEOTECTILE SHALL BE PLACED OVER THE ENTIRE AREA PRIOR TO PLACING STONE. IT SHALL BE COMPOSED OF STRONG ROT-PROOF POLYMERIC FIBERS AND MEET THE FOLLOWING SPECS.

GEOTEXTILE SPECIFICATION FOR	CONSTRUCTION ENTRANCE
MINIMAN TENSILE STRENGTH	200 LBS.
MINIMAN PUNCTURE STRENGTH	80 PSI
MINIMAN TEAR STRENGTH	50 LBS.
MUNICIPAL BURST STRENGTH	320 PS
MINIMUM ELONGATION	20%
EQUIVALENT OPENING SIZE	EOS < 0.6 MAL
PERMITTINITY	1 X 10-3 CM/SEC.

- PERMITTIVITY TIMENC —THE CONSTRUCTION ENTRANCE SHALL BE INSTALLED AS SOON AS IS PRACTICABLE REFORE MAJOR GRADING ACTIVITIES.
- 7. CULVERT --- A PIPE OR CHEVERT SHALL BE CONSTRUCTED UNDER THE ENTRANCE IF NEEDED TO PREVENT SURFACE WATER FLOWING ACROSS THE ENTRANCE FROM BEING DIRECTED OUT ONTO PAVED SURFACES.
- WATER BAR—A WATER BAR SMALL BE CONSTRUCTED AS PART OF THE CONSTRUCTION ENTRANCE IF REEDED TO PREVENT SURFACE BLOOFF FROM FLOWING THE LENGTH OF THE CONSTRUCTION ENTRANCE AND OUT ONTO PAVED SURFACES.

DESCRIPTION:

A CONSTRUCTION ENTRANCE IS A STABILIZED PAD OF ACCREGATE OVER A GEOTEXPLE BASE AND IS USED TO REDUCE THE AMOURT OF MUD TRACKED OFF-SITE WITH CONSTRUCTION TRAFFIC.

CONDITIONS WHERE PRACTICE APPLIES:

- A CONSTRUCTION ENTRANCE SHOULD BE USED:
- WHERE CONSTRUCTION VEHICLES LEAVE ACTIVE CONSTRUCTION AREAS ONTO SURFACES WHERE RUNCET IS NOT CHECKED BY SEDIMENT CONTROLS;
- * AT ALL POINTS OF EGRESS TO PUBLIC ROADS;
- WHERE FREQUENT VEHICLES AND EQUIPMENT BIGRESS/EGRESS IS EXPECTED SUCH AS AT THE AT THE ENTRANCE OF INDIVIDUAL BUILDING LOTS;

THIS PRACTICE SHOULD NOT BE RELED ON TO REMOVE MLD FROM CONSTRUCTION TRAFFIC. MOST MUD IS FLUNG FROM TIRES AS VEHICLES REACH SPEEDS HIGHER THAN IS REACHED ON SITE. THE BEST APPROACH TO PREVENTING OFF-SITE TRACKING IS TO KEEP VEHICLES THAT FREQUENTLY ENTER AND LEAVE A SITE, AWAY FROM MUDDY AREAS IN THE FIRST PLACE. VEHICLES SHOULD BE RESTRICTED TO STABILIZED AREAS TO THE EXTENT PRACTICAL, AND AREAS WHERE FREQUENT INGRESS/EDRESS IS EXPECTED SHOULD BE STABILIZED.

- 9. MAINTENANCE—TOP DRESSING OF ADDITIONAL STONE SHALL BE APPLIED AS CONDITIONS DEMAND.

 MAID SPILED, DROPPED, WASHED OR TRACKED ONTO PUBLIC ROADS, OR ANY SURFACE WHERE
 RINGET IS NOT CHECKED BY SEDMENT CONTROLS, SHALL BE REMOVED HAMEDIATELY. REMOVAL SHALL
 BE ACCOMPLISHED BY SCRAPING OR SWEEPING.
- 10. CONTRUCTION ENTRANCES SHALL NOT BE RELIED UPON TO REMOVE MED FROM VEHICLES AND PREVENT OFF-SITE TRACKING. VEHICLES THAT ENTER AND LEAVE THE CONSTRUCTION-SITE SHALL BE RESTRICTED FROM MUDDLY AREAS.
- 11. REMOVAL -- THE ENTRANCE SHALL REMAIN IN PLACE UNTIL THE DISTURBED AREA IS STABILIZED OR REPLACED

			OCTO DETAILO		
		S425 WARNERY ROAD - BUTE 12 VALLEY VIEW, OHO 44025	SITE DETAILS FOR		
HORIZ, SCALE:	WERT. SCALE:	440-602-9071 FAX 216-369-0259	K. HOVNANIAN OSTER HOMES LLC.		
			8325 CAMBDEN CROSSING WAY S/L 55 IN THE		
DRAWN BY: KEG	DATE: 5-9-2012	ATTECH	CAMBDEN CREEK ESTATES PHASE NO.2		
	2242542		PLAT VOLUME 60, PAGE 15		
CHECKED BY: SRL	DRAMING NO.: 20112519		CONCORD TOWNSHIP		
20112510	SHEET: 3 OF 3	Civil Engineering + Land Surveying	LAKE COUNTY, OHIO	NO. DATE	DESCRIPTION BY