

SUMMARY OF SOIL TEST DATA

STATION & OFFSET	DEPTH FROM TO	AGG.	C.S.	F.S.	SILT	CLAY	L.L.	P.I.	W.C.	SHTL CLASS.
2+00 200' Lt	0.0-4.0	0	4	10	43	43	37	15	14	A-6a
	4.0-9.0	6	11	32	45	34	12	12		A-6a
	9.0-16.0	5	6	11	37	41	32	12	23	A-6a
4+00 140' Lt	0.0-5.0	4	2	8	29	57	42	19	17	A-7-6
	5.0-9.0	0	4	10	32	54	32	11	12	A-6a
	9.0-14.0	4	5	10	34	47	29	11	12	A-6a
4+00 BL	0.0-1.3	0	1	11	38	50	71	28	38	A-7-5
	1.3-6.0	0	1	11	36	52	43	18	76	A-7-6
4+00 100' Rt	0.0-1.5	0	2	24	35	39	57	25	79	A-7-5
	1.5-6.0	0	2	19	30	49	36	14	25	A-6a
7+00 175' Lt	0.0-5.0	6	3	14	28	49	37	14	20	A-6a
	5.0-9.0	5	4	9	33	49	34	13	14	A-6a
	9.0-14.0	4	5	10	35	46	31	11	11	A-6a
7+00 BL	0.0-1.3	0	1	11	35	53	60	31	31	A-7-6
	1.3-5.5	0	1	12	37	50	43	17	21	A-7-6
7+00 100' Rt	0.0-1.4	0	1	10	42	47	82	39	37	A-7-5
	1.4-5.5	0	1	9	32	58	46	19	43	A-7-6
10+00 200' Lt	0.0-5.0	7	1	9	32	51	44	19	18	A-7-6
	5.0-8.0	7	3	8	50	32	29	8	16	A-4b
	8.0-14.5	9	5	9	33	44	33	11	12	A-6a
12+00 150' Lt	0.0-5.0	3	2	7	29	59	37	14	20	A-6a
	5.0-9.0	7	4	9	32	48	34	11	13	A-6a
	9.0-14.0	6	5	9	32	48	30	11	13	A-6a

SOIL PROFILE
LAKE COUNTY
LAK -615-3.26 SUPPL.
RETENTION BASIN
OHIO STATE HIGHWAY TESTING
LABORATORY
1620 W. BROAD ST. COLUMBUS, OHIO 43223

5/13

1

Drilling - L.M.D. - 11/5/68 and 11/6/68
Drafting - D.E.N. - 12/4/68

