

Revised 11-27-59

SUMMARY OF SR. 2 - SR. 44 INTERCHANGE SOIL TEST DATA

NOTE: NP shown in Liquid Limit and Plasticity Index columns indicate that the material is non-plastic.
*Denotes sample taken at or near grade.

STATION & OFFSET	DEPTH FROM-TO	AGG.	C.S.	F.S.	SILT	CLAY	L.L.	P.I.	W.C.	SHTL CLASS.	STATION & OFFSET	DEPTH FROM-TO	AGG.	C.S.	F.S.	SILT	CLAY	L.L.	P.I.	W.C.	SHTL CLASS.	
RAMP "E"											RAMP "G" CONT'D.											
1+00	CL	0.6-3.0	6	2	23	36	31	27	5	16	18+00	CL	0.5-3.0	0	12	10	38	50	38	14	21	A-6a
		3.0-6.0	7	10	13	35	35	32	11	15			3.0-6.0	8	6	11	37	38	31	12	16	A-6a
		6.0-12.0	12	6	9	33	40	28	11	11			6.0-15.0	9	4	5	40	42	33	15	24	A-6a
6+00	CL	0.5-4.0	0	2	65	16	17	NP	NP	14	22+00	CL	0.5-6.0	19	7	10	34	30	31	12	20	A-6a
		4.0-8.0	9	7	13	38	33	28	4	16			6.0-12.0	9	8	13	40	30	26	9	13	A-4a
		8.0-10.0	13	8	12	36	31	28	8	13												
10+00	CL	0.4-5.0	0	5	83	5	7	NP	NP	17	27+00	CL	0.4-3.0	14	12	37	19	18	NP	NP	30	A-4a
		5.0-11.0	11	10	12	36	31	25	11	14			3.0-11.0	6	10	13	34	37	24	5	13	A-4a
		11.0-16.0	13	8	12	35	32	28	11	13			11.0-17.0	15	5	8	35	37	33	14	16	A-6a
14+00	CL	0.5-3.0	0	8	73	8	11	NP	NP	16			17.0-20.0	10	2	6	47	35	24	3	37	A-4a
		3.0-7.0	11	8	13	35	33	32	16	16	30+00	CL	0.5-6.0	7	4	8	33	48	35	11	20	A-6a
		7.0-15.0	8	7	12	41	32	25	6	13			6.0-12.0	8	7	13	39	33	26	6	12	A-4a
		15.0-20.0	11	6	11	39	33	27	11	10			12.0-20.0	14	2	11	42	31	25	7	11	A-4a
18+00	CL	0.4-3.0	0	4	69	12	15	NP	NP	10	33+00	CL	0.5-4.0	0	3	71	13	13	NP	NP	14	A-3a
		3.0-7.0	0	1	1	56	42	31	7	25			4.0-10.0	9	8	12	42	29	24	3	13	A-4a
		7.0-12.0	0	1	2	39	58	36	15	25			10.0-15.0	8	9	13	37	33	25	5	14	A-4a
		12.0-20.0	9	7	11	36	37	26	11	11			15.0-20.0	10	6	9	36	39	30	11	13	A-6a
22+00	CL	0.5-3.0	0	5	10	44	41	34	12	21	37+00	CL	0.5-6.0	0	10	22	46	22	NP	NP	14	A-4a
		3.0-7.0	7	10	12	33	38	32	11	14			6.0-12.0	0	0	0	56	44	28	7	23	A-4b
		7.0-15.0	11	9	11	37	32	NP	NP	12			12.0-15.0	9	3	8	37	43	30	11	19	A-6a
		15.0-20.0	5	5	8	33	49	42	20	14			15.0-20.0	5	7	12	33	43	24	4	14	A-4a
26+00	CL	0.6-4.0	6	7	12	38	37	35	11	17	41+00	CL	0.5-4.0	0	7	75	10	8	NP	NP	15	A-3a*
		4.0-11.0	7	10	14	35	34	27	7	13			4.0-10.0	9	9	12	35	35	26	8	13	A-4a
		11.0-15.0	9	8	9	33	41	27	6	14												
		15.0-20.0	8	9	14	38	41	25	6	11	46+00	CL	0.4-6.0	7	2	65	12	14	NP	NP	24	A-3a*
30+00	CL	0.5-6.0	5	7	12	40	36	31	11	19			6.0-8.0	0	0	1	50	49	33	7	31	A-4b
		6.0-11.0	6	10	14	35	35	25	6	13			8.0-10.0	0	0	1	45	54	35	11	26	A-6a
		11.0-16.0	8	7	11	33	41	29	11	13	RAMP "H"											
1+00	CL	0.6-3.0	0	22	38	22	18	21	1	17	4+50	CL	0.4-4.0	0	6	12	37	45	36	13	20	A-6a
		3.0-7.0	10	7	15	37	31	32	11	15			4.0-8.0	10	13	33	34	25	7	16	A-4a	
		7.0-15.0	22	7	11	34	26	24	6	13			8.0-16.0	8	3	5	42	42	30	11	14	A-6a
5+75	30'LT.	0.4-4.0	7	5	11	35	42	33	14	18	8+00	CL	0.5-3.0	0	3	49	17	31	25	9	18	A-4a
		4.0-12.0	9	3	7	40	41	30	11	14			3.0-8.0	7	9	12	36	36	30	8	13	A-4a
9+25	CL	0.5-2.0	0	2	48	25	25	NP	NP	19			8.0-13.0	11	9	13	34	33	25	9	13	A-4a
		2.0-7.0	6	8	11	42	33	33	12	18	12+00	CL	0.4-3.0	0	2	52	25	21	22	7	18	A-4a*
		7.0-12.0	7	9	13	37	34	24	5	12			3.0-7.0	5	4	22	31	38	28	9	18	A-4a*
13+00	CL	0.5-5.0	0	15	73	4	8	NP	NP	12			7.0-14.0	8	9	13	40	30	25	7	12	A-4a
		5.0-7.0	0	0	1	78	21	28	2	27	16+00	CL	0.5-3.0	0	1	66	18	15	NP	NP	9	A-3a*
		7.0-10.0	0	0	0	68	32	NP	NP	27			3.0-7.0	8	7	14	34	37	32	11	16	A-6a*
10+00	CL	0.5-6.0	5	9	13	37	36	31	11	16			7.0-15.0	11	9	12	34	34	24	8	12	A-4a
		6.0-12.0	0	2	6	40	52	32	12	14	RAMP "G"											
		12.0-20.0	11	6	15	35	31	22	5	10	10+00	CL	0.6-4.0	10	2	6	35	47	48	20	26	A-7-6
14+00	CL	0.6-4.0	10	2	6	35	47	48	20	26			4.0-8.0	9	9	12	38	32	31	7	14	A-4a
		4.0-8.0	9	9	12	38	32	31	7	14			8.0-14.0	10	12	5	30	42	29	11	14	A-6a
		8.0-14.0	10	12	5	30	42	29	11	14			14.0-18.0	12	9	12	39	28	26	7	10	A-4a

RECORDED
JUL 1 1965