

CURVE TABLE					
Curve	Length	Radius	Chord	Bearing	Delta
C1	49.40'	65.00'	48.22'	N88°30'33"E	43°32'47"
C2	55.29'	50.00'	52.52'	N78°30'51"W	63°21'39"
C3	82.05'	170.00'	81.28'	N33°00'22"W	27°39'19"


LAT. 41°40'59"
LONG. -81°14'03"

S/L-9
MICHAEL & HEATHER
KONARCZYK
2013R035580
8A-14E-9

PROUTY ROAD DEV. CO.
8A-14E-10
0.5124 AC

LAWRENCE & MARLYN DUGAN
2002R044427
8A-14-27

S/L-11
GILBERT & JEAN ASPINWALL
2005R053965
8A-14E-11



EXIST. ELEV. 100.0
PROP. ELEV. 100.0
AS BUILT ELEVATION



2 WORKING DAYS
BEFORE YOU DIG



CALL TOLL FREE 800-362-2764
OHIO UTILITIES PROTECTION SERVICE

"This plan has been prepared solely for the purpose of establishing grading, drainage, location of utility connections, and compliance with local zoning regulations and is based upon plans approved by agencies having jurisdiction. Jones Surveying, LLC does not warrant or guarantee structural components of the structure or the underlying soils".

BENCHMARK: RIM SAN. MH = 812.92

Temporary Seeding Species Selection			
Seeding Dates	Species	Lb./1,000 ft. ²	Per Ac. @
March 1 to August 15	Grass	3	4 bushel
	Tall Fescue	1	40 lb.
	Annual Ryegrass	1	40 lb.
	Perennial Ryegrass	1	40 lb.
August 16 to November 1	Wheat	3	2 bushel
	Tall Fescue	1	40 lb.
	Annual Ryegrass	1	40 lb.
	Perennial Ryegrass	1	40 lb.
November 1 to Spring Seeding	Wheat	3	2 bushel
	Tall Fescue	1	40 lb.
	Annual Ryegrass	1	40 lb.
	Perennial Ryegrass	1	40 lb.

Note: Other approved seed species may be substituted.

EXISTING UNDERGROUND UTILITIES NOTE:

"The size and location, both horizontal and vertical, of the underground utilities shown hereon, have been obtained by a diligent and comprehensive search of available records. Verification by field observation has been conducted where practical. However, Jones Surveying, LLC does not guarantee the completeness nor accuracy thereof."

SITE PLAN

CONCORD TWP., LAKE County, Ohio

HANDCRAFTED HOMES

for: CLIENT OWNER

ADDRESS STREET CITY ZIP

BRIDGECREEK ESTATES NAME TRACT

SUBDIVISION VOL.-PG. LOT STREET

10 BRIDGECREEK DR. LOT

SUBLOT NO. STREET VOL.-PG. PERM. PARCEL NO.

DESIGN CERTIFICATION

THIS PLAN WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

HARRY S. JONES, JR. SURVEYOR REGISTRATION NO. 6343

Erosion and Sediment Control Schedule

Ingress-Egress
A stone access drive complete with under lying geo-textile fabric (20 feet wide and 50 feet long) for ingress and egress at the site shall be installed. This drive shall be the only entrance and exit to the site.

Silt Fence
A silt fence shall be installed prior to any earthwork activities at the site in the locations shown on the site plan as well as along the front of any lot that slopes towards the street.

Temporary Seeding
Disturbed areas of the site that are to remain idle for more than

fourteen(14) days shall be properly seeded and straw mulched within seven(7) days of completion of initial grading. Temporary seeding and mulching as a thirty(30) foot strip of the entire front of the lot shall be maintained on the site once initial grading is complete.

Stabilization of critical areas within fifty(50) feet of any stream or wetland shall be complete within two(2) days of the disturbance if the site is to remain inactive for longer than fourteen(14) days.

Mulching
Straw-mulch shall be applied at a rate of 1 bale per every ten (10) feet of curb, at a width of thirty(30) feet to the entire length of the lot. Wood chips may also be used but must be spread at a minimum depth of four inches over the thirty-foot width and must be accompanied by a properly installed silt fence.

Maintenance
Erosion and sediment controls shall be inspected every seven(7) days or within 24 hours of a 0.5" or greater rainfall event. Necessary repairs shall be made at this time.

SITE PLAN CERTIFICATION:


This plan was prepared by me and is correct to the best of my knowledge and belief.

I, the undersigned, hereby certify that this topography, indicated by 1' contours, and elevations shown hereon, represent an actual field survey made under my supervision on the 11th day of June, 2014 and that the elevations were taken at appropriate intervals and that as of that date they existed as indicated hereon.

HARRY S. JONES, JR. P.S. #6343

Stormwater Management Plan
Approved as shown and/or noted
JAMES R. GILLS, P.E.
County Drainage Engineer

By L.S. Date 7/16/14



REVISIONS			Jones Surveying, LLC		
NO.	DATE	BY	ENGINEERS - SURVEYORS - PLANNERS		
1	7/07/2014	(GMB)	1924 MENTOR AVE., RAINESVILLE, OHIO 440-357-1811		
2			440-357-9173 (FAX) hjonesurveying@yahoo.com		
3			DRAWN BY	SCALE 1"=20'	PHONE NO. 440-357-1811
4			CHKD.	DATE 6/26/14	DRAWING NO. 14-028
5			CREW CHIEF	APPD HSJ	