

EROSION AND SEDIMENT CONTROL SCHEDULE

INGRESS-EGRESS

A STONE ACCESS DRIVE COMPLETE WITH UNDER LYING GEO-TEXTILE FABRIC (20 FEET WIDE AND 50 FEET LONG) FOR INGRESS AND EGRESS AT THE SITE SHALL BE INSTALLED. THIS DRIVE SHALL BE THE ONLY ENTRANCE AND EXIT TO THE SITE.

SILT FENCE

ALL SILT FENCE SHALL BE INSTALLED PRIOR TO ANY EARTHWORK ACTIVITIES AT THE SITE IN THE LOCATIONS SHOWN ON THE SITE PLAN AS WELL AS ALONG THE FRONT OF ANY LOT THAT SLOPES TOWARDS THE STREET.

TEMPORARY SEEDING

DISTURBED AREAS OF THE SITE THAT ARE TO REMAIN IDLE FOR MORE THAN THIRTY (30) DAYS SHALL BE PROPERLY SEEDED AND STRAW MULCHED WITHIN SEVEN (7) DAYS OF COMPLETION OF INITIAL GRADING. TEMPORARY SEEDING AND MULCHING OF A THIRTY (30) FOOT STRIP OF THE ENTIRE FRONT OF THE LOT SHALL BE MAINTAINED ON THE SITE ONCE INITIAL GRADING IS COMPLETE.

STABILIZATION OF CRITICAL AREAS WITHIN FIFTY (50) FEET OF ANY STREAM OR WETLAND SHALL BE COMPLETE WITHIN TWO (2) DAYS OF THE DISTURBANCE IF THE SITE IS TO REMAIN INACTIVE FOR LONGER THAN FOURTEEN (14) DAYS.

MULCHING

STRAW-MULCH SHALL BE APPLIED AT A RATE OF 1 BALE PER EVERY TEN (10) FEET OF CURB, AT A WIDTH OF THIRTY (30) FEET OF THE ENTIRE LENGTH OF THE LOT. WOOD CHIPS MAY ALSO BE USED BUT MUST BE SPREAD AT A MINIMUM DEPTH OF FOUR INCHES OVER THE THIRTY-FOOT WIDTH AND MUST BE ACCOMPANIED BY A PROPERLY INSTALLED SILT FENCE.

MAINTENANC

EROSION AND SEDIMENT CONTROLS SHALL BE INSPECTED EVERY SEVEN (7) DAYS OR WITHIN 24 HOURS OF A 0.5" OR GREATER RAINFALL EVENT. NECESSARY REPAIRS SHALL BE MADE AT THIS TIME.


NOT


ALL EROSION AND SEDIMENT CONTROL SPECIFICATIONS, APPLICATIONS, AND TIMETABLES ARE BASED OF THE DESCRIPTIONS AND STANDARDS OF THE OHIO DEPARTMENT OF NATURAL RESOURCES "RAINWATER AND LAND DEVELOPMENT MANUAL" AND CAN BE FOUND IN THE LAKE COUNTY EROSION AND SEDIMENT CONTROL RULES AS ADOPTED DECEMBER 21, 1999.

THE SPECIFIED EROSION AND SEDIMENT CONTROL STANDARDS ARE GENERAL GUIDELINES AND SHALL NOT LIMIT THE RIGHT OF THE COUNTY TO IMPOSE, AT ANY TIME, ADDITIONAL, MORE STRINGENT REQUIREMENTS. NOR SHALL THE STANDARDS LIMIT THE RIGHT OF THE COUNTY TO WAIVE, IN WRITING, INDIVIDUAL REQUIREMENTS.

TEMPORARY SEEDING SPECIFICATIONS		
SPECIES	LB./1000 FT.	PER AC.
OATS	3	4 BUSHEL
TALL FESCUE	1	40 LB.
ANNUAL RYEGRASS	1	40 LB.
PERENNIAL RYEGRASS	1	40 LB.
TALL FESCUE	1	40 LB.
ANNUAL RYEGRASS	1	40 LB.
RYE	3	2 BUSHEL
TALL FESCUE	1	40 LB.
ANNUAL RYEGRASS	1	40 LB.
WHEAT	3	2 BUSHEL
TALL FESCUE	1	40 LB.
ANNUAL RYEGRASS	1	40 LB.
PERENNIAL RYEGRASS	1	40 LB.
TALL FESCUE	1	40 LB.
ANNUAL RYEGRASS	1	40 LB.
	SPECIES OATS TALL FESCUE ANNUAL RYEGRASS PERENNIAL RYEGRASS TALL FESCUE ANNUAL RYEGRASS RYE TALL FESCUE ANNUAL RYEGRASS WHEAT TALL FESCUE ANNUAL RYEGRASS PERENNIAL RYEGRASS TALL FESCUE	SPECIES LB./1000 FT. OATS 3 TALL FESCUE 1 ANNUAL RYEGRASS 1 TALL FESCUE 1 ANNUAL RYEGRASS 1 RYE 3 TALL FESCUE 1 ANNUAL RYEGRASS 1 WHEAT 3 TALL FESCUE 1 ANNUAL RYEGRASS 1 PERENNIAL RYEGRASS 1 TALL FESCUE 1

NOTE: OTHER APPROVED SEED SPECIES MAY BE SUBSITUTED.





REVISIONS BY
REV HISE LOCATION
MARCH 15, 2005
FLOOD PLAIN ADDED
MARCH 25, 2005
WSO

SULTING GROUP, INC.



Erosion and Sediment Control Plan SAL 19 BROOKFIELD DR. BROOKFIELD SUB. PH. 2 CONCORD TWP. OHIO 44077
BRADFORD DEVELOPMENT

DRAWN
WSO

CHECKED
DWN

ATE
OATE
1 = 40'
108 NO
04017
SHEET

FORM C \SCI2\LIBRARY\FORMS\BCGA3-1 DWG