





eeding Dates	Species	Lb./1,000 ft. <sup>2</sup>	Per Ac.	
arch 1 to August 15	Oats Tail Fescue Annual Ryegrass	3 · 1	4 bushel 40 lb. 40 lb.	
	Perennial Ryegrass Tell Fescua Annual Ryegrass	1 1 1	40 lb. 40 lb. 40 lb.	
August 16 to November 1	Rye Tall Fescue Annual Ryegrass	3 1	2 bushel 40 lb. 40 lb. 2 bushel 40 lb. 40 lb.	
	Wheat Tall Fescue Annual Ryegrass	3 1 1		
	Perennial Ryegrass Tall Fescue Annual Ryegrass	1 1 1	40 lb. 40 lb. 40 lb.	

Erosion and Sediment Control Schedule

Ingress-Egress

A stone access drive complete with under lying geo—textile fabric (20 feet wide and 50 feet long) for ingress and egress at the site shall be installed. This drive shall be the only entrance and exit to the site.

Silt Fence
A silt fence shall be installed prior to any earthwork activities at the site in the locations shown on the site plan as well as along the front of any lot that slopes towards the street.

Temporary Seeding
Disturbed areas of the site that are to remain idle for more than thirty(30) days shall be properly seeded and straw mulched within seven(7) days of completion of intitial grading. Temporary seeding and mulching as a thirty(30) foot strip of the entire front of the lot shall be maintained on the site once initial grading is complete.

Stabilization of critical areas within fifty(50) feet of any stream or wetland shall be complete within two(2) days of the disturbance if the site is to remain inactive for longer than fourteen(14) days.

Straw—mulch shall be applied at a rate of 1 bale per every ten (10) feet of curb, at a width of thirty(30) feet to the entire length of the lot. Wood chips may also be used but must be spread at a minimum depth of four inches over the thirty—foot width and must be accompanied by a properly installed silt fence.

Maintenance

Erosion and sediment controls shall be inspected every seven(7) days or within 24 hours of a 0.5" or greater rainfall event. Necessary repairs shall be made at this time.

> "I, the undersigned hereby certify that this topography indicated by 6", 1', or 2' contours, and elevations shown hereon represent an actual field survey made by me on the 1710 day of April, 2004 and that the elevations were taken at appropriate intervals and that as of that date they existed as indicated hereon.'

Reg. No.

2		1									
	Conc	020	Two.	4	TKE	_ COL	JNTY,	ОНЮ			
İ	for:	CAR	CUENT	1		OWNER					
	ADDR	ESS	<del>,,,,,,</del> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	en.	REET		<del></del>				
F	1/01	// -	-		(CE)	cır	r	ZIP			
1	SUBDIVISION		IE USTO	<del></del>	TRAC	ा	_				
	22	WOL-	Pa. JAMI	-	/ LOT		_ STRE	ET			
Ľ	SUBLOT NO.		STREET			-PG.	PERM.	PARCEL NO			
Γ	LEGEND										
1.	sanitary man	WOIE		. [	EXIST. ELEV	-2=100	847 ~	WD 55			
- 1	Storm Man		EXIST. ELEV. 100.0 PROP. ELEV.  AS BUILT ELEVATION								
1	INLET OR CATO		<b>]</b>		AS BUILT E			(40)			
- [1	HYDRANT -		<b></b> �	-	2	INDICATES					
ı	EXISTING CON		· ·	H	~	DIRECTION					
-	PROPOSED CO	NTOURS-			_ ▽	SURFACE	DRAINAGE				
	REMARKS ALL BOUNDARY DATA SHOWN WAS OBTAINED FROM (DEEDS, RECORDED SUBDIVISION PLAT OR OTHER PUBLIC RECORDS)  LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT										
-	DESIGN CERTIFICATION THIS PLAT WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.  **E6343** NAME SURVEYOR REGISTRATION NO.										
Г	<u>-</u>	1	/ C/LIE		والتناوي المتارك	TALAN		<u> </u>			
NO. OF BEDROOMS DIMENSIONS BEARINGS TIE TO NEAREST STREET SUBLOT NO. PARCEL NO. SURROUNDING OWNERS BLDG. DIMENSIONS FIN GR. BLDG. TIES FL'R. GRADES APRON TYPE WIDTH THICKNESS SIDEWALK TYPE WIDTH THICKNESS CULVERT TYPE DIA., LENGTH ROCK OUTCROPPINGS					WATER MAIN SIZE, LOCATION SAN. SEWER SIZE % GR. LOC. SAN. MH. CAST. ELEV. INV. ELEV. SAN. CONN. SIZE, LOC. DEPTH STORM SEWER SIZE % GR. LOC. STORM MH. CAST ELEV. INV. ELEV. PAV'T TYPE GRADE CURBS GAS LINE LOC. SIZE PRESSURE SEPTIC TANK LOCATION & DUPLICATION AREA WELL LOCATION ISOLATION RADIUS FROM WELL.						
<u> -</u>	REVISIONS	T	<b>-</b>	-							
NK.		BY	DÍ BABC			EPARED E					
	<del></del>	<u> </u>	DABC	UUK				ES, INC.			
2				<u> </u>		VILLE, OHIO	) 				
3			DRAWN BY B	P	SCALE		PHONE NO	-357-1811			
4			CHK'D.	7	DATE 7/12	404	DRAWING N	0.			
5			CREW CHIEF		APP'D	<del>*</del>	03-2	33-22			
					•/ <sub>5</sub> ^	/	- 00	- 00			
	<b>M</b>	"AS	BUILT" CER	TIFIC	CATION						

I, HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING FINISH GRADES CHECKED IN THE FIELD ON \_\_\_\_\_\_, 20\_\_\_\_, AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED SURVEYOR

REG. NO.

EXISTING UTILITIES NOTE:
THE SIZE AND LOCATION, BOTH HORIZONTAL AND VERTICAL
OF THE UNDERGROUND UTILITIES SHOWN HEREON, HAVE BEEN
OBTAINED BY A SEARCH OF AVAILABLE RECORDS.
VERIFICATION BY FIELD OBSERVATION HAS BEEN CONDUCTED
WHERE PRACTICAL, HOWEVER, BABCOCK, JONES AND ASSOCIATES
INC. DOES NOT GUARANTEE THE COMPLETENESS NOR ACCURACY
THEREOF.

