


SITE IMPROVEMENT PLAN


FOR SUBLOT NO. 37 IN MOUNTAINSIDE FARMS SUBDIVISION -
PHASE 2, PART OF ORIGINAL CONCORD TOWNSHIP LOT 10 AND
1, TRACT 4, CONCORD TOWNSHIP, LAKE COUNTY, OHIO.

FOR: THE O'BRIEN-BLACK RESIDENCE
BUILDER: PAYNE & PAYNE BUILDER



NORTH

GRAPHIC SCALE



(IN FEET)

1 INCH = 20 FT.

OCTOBER 11, 2013

Erosion and Sediment Control Schedule

Ingress-Egress

A stone access drive complete with under lying geo-textile fabric (20 feet wide and 50 feet long) for ingress and egress at the site shall be installed. This drive shall be the only entrance and exit to the site.

Silt Fence

All silt fence shall be installed prior to any earthwork activities at the site in the locations shown on the site plan as well as along the front of any lot that slopes towards the street.

Temporary Seeding

Disturbed areas of the site that are to remain idle for more than Twenty-one (21) days shall be properly seeded and straw mulched within seven (7) days of completion of initial grading. Temporary seeding and mulching of a thirty (30) foot strip of the entire front of the lot shall be maintained on the site once initial grading is complete.

Stabilization of critical areas within fifty (50) feet of any stream or wetland shall be complete within two (2) days of the disturbance if the site is to remain inactive for longer than fourteen (14) days.

Erosion and Sediment Control Schedule

Mulching

Straw-mulch shall be applied at a rate of 1 bale per every ten (10) feet of curb, at a width of thirty (30) feet of the entire length of the lot. Wood chips may also be used but must be spread at a minimum depth of four inches over the thirty-foot width and must be accompanied by a properly installed silt fence.

Maintenance

Erosion and sediment controls shall be inspected every seven (7) days or within 24 hours of a 0.5" or greater rainfall event. Necessary repairs shall be made at this time.

Note:


All erosion and sediment control specifications, applications, and timetables are based on the descriptions and standards of The Ohio Department of Natural Resources "Rainwater and Land Development Manual" and can be found in the Lake County Erosion and Sediment Control Rules as adopted December 21, 1999 and revised December 1, 2009.

The specified erosion and sediment control standards are general guidelines and shall not limit the right of the county to impose, at any time, additional, more stringent requirements. Nor shall the standards limit the right of the county to waive, in writing, individual requirements.

Temporary Seeding Species Selection

Seeding Dates	Species	Lb./1,000 sq. ft.	Per Ac.
March 1 to August 15	Oats	3	4 bushel
	Tall Fescue	1	40 lb.
	Annual Ryegrass	1	40 lb.
	Perennial Ryegrass	1	40 lb.
	Tall Fescue	1	40 lb.
August 16 to November 1	Rye	3	2 bushel
	Tall Fescue	1	40 lb.
	Annual Ryegrass	1	40 lb.
	Wheat	3	2 bushel
	Tall Fescue	1	40 lb.
November 1 to Spring Seeding	Perennial Ryegrass	1	40 lb.
	Tall Fescue	1	40 lb.
	Annual Ryegrass	1	40 lb.
	Wheat	3	2 bushel
	Tall Fescue	1	40 lb.
Use mulch only, sodding practices or dormant seeding			

Note: Other approved seed species may be substituted.



SILT FENCE DETAIL

N.T.S.

NOTES:

- 941.6 INDICATES EXISTING ELEVATION
- 941.1* INDICATES PROPOSED GRADE
- 941 --- INDICATES EXISTING CONTOUR LINE
- 940 --- INDICATES PROPOSED CONTOUR LINE
- INDICATES DIRECTION OF SURFACE WATER AFTER FINISH GRADING.

BENCHMARK: TOP OF HYDRANT
FRONT OF SUBLOT NO. 38
ELEVATION = 939.52

CONTRACTOR TO VERIFY SANITARY
AND STORM CONNECTION DEPTHS
BEFORE BASEMENT EXCAVATION.

THIS PLAN FOR SITE PURPOSES
ONLY, SEE FOUNDATION PLAN
FOR HOUSE DETAILS.

IRON PIN SET OR FOUND.

SILT FENCE

T.B.M.
TOP OF HYD.
= 939.52

24" STM. SEWER

6" INV. 931.8
INSTALL OUTLET
PROTECTION

24" INV. 931.98

242.52
N67°31'40"E

IC 936.81

IC 936.23

IC 935.58

IC 935.14

IC 934.43

IC 933.19

IC 932.54

IC 931.8

IC 931.1

IC 930.4

IC 930.0

IC 929.3

IC 928.6

IC 927.9

IC 927.2

IC 926.5

IC 925.8

IC 925.1

IC 924.4

IC 923.7

IC 923.0

IC 922.3

SAN. M.H.
RIM 941.64
8" INV. 927.03

324.6 L.F. - 8" SAN. SEW. @ 0.4%

H.W.

SAN. M.H.
RIM 936.25
8" INV. 926.64

IC 936.34

IC 935.6

Stormwater Management Plan
Approved as shown and/or noted
JAMES R. GILLS, RE.
County Drainage Engineer

By *Howard R. Selee* Date 10/23/13

N67°31'40"E 160.00

KARABOO TRAIL 60'

HOWARD R. SELEE & ASSOCIATES, INC.
PROFESSIONAL LAND SURVEYORS
9701 BROOKPARK ROAD * SUITE 231 * CLEVELAND, OH 44129
(216) 398-0280 Scale: 1" = 20' File No. 09030-37

Approved N.A.
File # 105L13147
Date 10-22-13
Lake SWCD

CONCORD TOWNSHIP ZONING OFFICE
Zoning Permit # 1013-15166

Date Issued 10/16/2013

Subject to Approval By:

- ☒ Lake Co. Engineer/Storm Water Mgmt.
- ☒ Lake Co. Utilities Dept.
- ☒ Lake Co. Soil + Water District
- ☒ Lake Co. Health District
- ☒ Lake Co. Planning Dept.

S/L 18
0.5056 Ac.

EXISTING DWELLING FIRST FLOOR 947.96

50' BLDG. SETBACK

12' UTILITY EASEMENT

PLAN VIEW

NOTE: Streets adjacent to
Construction Entrance shall
be cleaned daily.

Right of Way Diversion
as Needed

PROFILE

18" or Sufficient
to Divert Runoff

CONSTRUCTION ENTRANCE DETAIL


N.T.S.

CERTIFICATION

I DO HEREBY CERTIFY THAT I HAVE SURVEYED THE PREMISES AND PREPARED THIS PLAT IN
ACCORDANCE WITH THE PROVISIONS OF CHAPTER 4733-37 OF THE OHIO ADMINISTRATIVE CODE.
DIMENSIONS SHOWN ARE EXPRESSED IN FEET AND DECIMAL PARTS THEREOF. BEARINGS SHOW
ARE TO AN ASSUMED MERIDIAN AND ARE FOR THE SOLE PURPOSE OF DESCRIBING THE RELATIVE
ANGULAR VALUE BETWEEN LINES. ALL OF WHICH I CERTIFY TO BE CORRECT TO THE BEST OF MY
KNOWLEDGE AND BELIEF.

Howard R. Selee
HOWARD R. SELEE, REGISTERED SURVEYOR #5471

10/11/13
DATE



HUMPHREY
HILL DR. 60'