

CONCORD TOWNSHIP ZONING OFFICE

PERMIT NO. 0804-11037

ISSUED 8/24/04

SUBJECT TO APPROVAL BY:

- ☒ Lake Co. Ordinary Engineer
- ☒ Lake Co. Eng. Dept.
- ☐ Lake Co. Planning Comm.
- ☒ Lake Co. Building Dept.
- ☒ Lake Co. Soil & Water Cons. Dist.

S/L 6

0.564 Ac.

S/L 8

0.510 Ac.

S/L 7


0.578 Ac.

LEGEND

- 873.26
873.26
PROPOSED ELEVATIONS
- 872
872
EXISTING ELEVATIONS
- 872
872
AS-BUILT ELEVATIONS
- 872
872
EXISTING CONTOURS
- 872
872
PROPOSED CONTOURS
- OVERLAND DRAINAGE FLOW

Site Plan for David Tanski

Being Sublot No. 8 on Rio Vista Drive in Concord Township, Ohio



Scale: 1" = 20'

DESIGN CERTIFICATION

"I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS TOPOGRAPHY INDICATED BY CONTOURS AND EXISTING ELEVATIONS SHOWN HEREON REPRESENTS AN ACTUAL SURVEY MADE BY ME ON 8/5/04 AND THAT THE ELEVATIONS WERE TAKEN AT THE APPROPRIATE INTERVALS AND AS OF THAT DAY THEY EXISTED AS INDICATED HEREON.

I FURTHER CERTIFY THAT THIS PLAN WAS PREPARED BY ME FROM ACTUAL BOUNDARY SURVEY AND IRON PINS WERE FOUND OR SET AT THE PROPERTY CORNERS AND ALL OF WHICH IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF."

BY: Peter J. Knezevic

REG. NO. 4499

AS-BUILT CERTIFICATION

"I HEREBY CERTIFY THAT THE CIRCLED ELEVATIONS ARE EXISTING FINISH GRADES CHECKED IN THE FIELD ON 8/5/04 AND AS OF THAT DATE THE LOT CORNER IRON PINS WERE EXISTING AND THAT SURVEY IS CORRECT TO THE BEST OF KNOWLEDGE AND BELIEF."

BY: _____

REG. NO. _____

NOTES:

- 1.) CONTRACTOR TO VERIFY ALL UTILITY LOCATIONS AND DEPTHS PRIOR TO CONSTRUCTION.
- 2.) ALL DOWNSPOUTS SHALL BE OUTLETTED TO SPLASHBLOCKS.




CURVE "A"

$\Delta = 31^{\circ}09'07''$
 $R = 63.66'$
 $A = 34.61'$
 $C = 31.19'$
 $N54^{\circ}31'10''W$


CURVE "B"

$\Delta = 3^{\circ}46'11''$
 $R = 380.00'$
 $A = 25.00'$
 $C = 25.00'$
 $N37^{\circ}03'31''W$


1. SET POSTS AND EXCAVATE A 4"x 4" TRENCH UPSLOPE ALONG THE LINE OF POSTS.




2. STAPLE WIRE FENCING TO THE POSTS.




3. ATTACH THE FILTER FABRIC TO THE WIRE FENCE AND EXTEND IT INTO THE TRENCH.



4. BACKFILL AND COMPACT THE EXCAVATED SOIL.



EXTENSION OF FABRIC AND WIRE INTO THE TRENCH



FILTER FABRIC BARRIER

PREPARED BY:
PETER J. KNEZEVIC, P.S. #4499
30102 RICKEY LANE
WICKLIFFE, OHIO 44092