



Species

Tall Fescue

Tall Fescue

Tall Fescue

Tall Fescue

Tall Fescue

Note: Other approved seed species may be substituted.

Wheat

Perennial Ryegrass

Annual Ryegrass

Annual Ryegrass

Annual Ryegrass

Perennial Ryegrass

Annual Ryegrass

Use mulch only, sodding practices or dormat seeding

Oats

All erosion and sediment control specifications, applications, and timetables are based of the descriptions and standards of The Ohio Department of Natural Resources "Rainwater and Land Development Manual" and can be found in the Lake County Erosion and Sediment Control Rules as adopted

The specified erosion and sediment control standards are general guidelines and shall not limit the right of the county to impose, at any time, additional, more stringent requirements. Nor shall the standards limit the right of the county to waive, in writing, individual requirements

August 16 to November 1

Seeding Dates

November 1 to

Spring Seeding

March 1 to

August 15

HOWARD R. SELEE & ASSOCIATES, INC.

PROFESSIONAL LAND SURVEYORS 9701 BROOKPARK ROAD * SUITE 231 * CLEVELAND, OH 44129

SCALE: 1" = 20' FILE NO. 07285-78 (216) 398-0280

40 lb.

40 lb.

40 lb.

2 bushel

40 lb.

40 lb.

40 lb. 40 lb.

40 lb.

40 lb.

40 lb.

2 bushel

SITE IMPROVEMENT PLAN FOR SUBLOT NO. 78 IN SUMMERWOOD SUBDIVISION, Subject to Approval By:

Lake Co. Engineer/Storm Water Mgmt. PHASE 2, OF PART OF ORIGINAL LOTS NO. 4 AND NO 5, TRACT NO. 1 CONCORD TOWNSHIP, LAKE COUNTY, OHIO. Lake Co. Utilities Dept. Plake Co. Soil + Water District FOR: MILLSTONE HOMES, LTD. Lake Co. Health District Make Co. Building Dept. Stormwater Management Plan Approved as shown and/or noted N86*30*54*W JAMES R. GILLS. P.E. County Drainage Engineer Date 2/28/08 **NORTH** S/L 78/ **GRAPHIC SCALE CONSTRUCTION ENTRANCE DETAIL** (IN FEET) S/L 77 1 INCH = 20 FT.**FEBRUARY 21, 2008 NOTES: INDICATES EXISTING ELEVATION** INDICATES PROPOSED GRADE -- 1048 --- INDICATES EXISTING CONTOUR LINE - INDICATES PROPOSED CONTOUR LINE **INDICATES DIRECTION OF SURFACE** WATER AFTER FINISH GRADING. **BENCH MARK: TOP OF HYDRANT OPPOSITE SUBLOT NUMBER 76. ELEVATION = 1046.16 CONTRACTOR TO VERIFY SANITARY** FIRST FLOOR /1051.50* AND STORM CONNECTION DEPTHS BASEMENT FLÓOR / BEFORE BASEMENT EXCAVATION. (8' POURED WALLS) FIRST FLOOR 1042.83*/ THIS PLAN FOR SITE PURPOSES 1053.50 BÓTTOM FÓOTERS ONLY, SEE FOUNDATION PLAN FOR HOUSE DETAILS. IRON PIN SET OR FOUND. **SILT FENCE DETAIL FLOOR** N.T.S. 40' STBK. LINE DEED DIMENSIONS SHOWN ARE HEREON EXPRESSED IN FEET AND DECIMAL PARTS THEREOF. MONUMENTS WERE FOUND OR SET AS INDICATED HEREON. BEARINGS SHOWN ARE TO AN ASSUMED MERIDIAN AND ARE FOR THE SOLE PURPOSE OF DESCRIBING THE RELATIVE ANGULAR VALUE BETWEEN LINES, ALL OF WHICH I CERTIFY TO BE CORRECT TO THE BEST SELEE 30 STBK. LINE RECORD 12' UTILITY ESMT. UTILITIES NOW UTILITIES OF A 8" SAN. 9 2.00% SAN. MH. RIM 1051.48 LOCAL POLE INV. 1040.1 -STONE -5.08 RIM 1048.83 INV 1036.68 CONSTRUCTION ENTRANCE 484.02 N86'30'54"W 322.70 N86'30'54"W 568.94 STM. MH. 25' WIDE ASPHALT PVMT. RIM 1046.24 INV. 1038.94 WITH CONC. CURBS 15" STM. 01.30% STM. MH. 8" WATER MAIN RIM 1053.55 ST INV. 1045.1 SUMMERWOOD DRIVE 60' R BENCH MARK: TOP OF HYD EL. 1046.16