

SUITTER

HURAULIC PROFILE
HORZ: 1=30' VERT: 1=5'

CURTAIN DRAN


AERATION

CURTAIN DRAIN	EVAPORATION-TRANSPIRATION
CROSS SECTION	TRENCH CROSS SECTION
WASHED GRAVEL BACKFILL OUTER DISTRIBUTION LINE	12" MEDIUM COARSE SAND (DEPTH VARIES) 10" MIN., 16" MAX. 8" GRAVEL TO MIDDLE OF PIPE.(3/4"-1 1/2" WASHED) 2" T COA

PERFORATED

Fence-





REVIEWED AND ACCEPTED
LAKE COUNTY GENERAL
HEALTH DISTRICT

SEWAGE DISPOSAL PERMIT MUST BE
OBTAINED BY A LAKE COUNTY LICENSED
INSTALLER BEFORE INSTALLATION IS
STARTED

SURVEYOR CERTIFICATION

THIS PLAT REPRESENTS A SURVEY WHICH MEETS STANDARDS FOR A BOUNDARY SURVEY IN THE STATE OF OHIO AS SPECIFIED IN THE ADMINISTRATIVE CODE CHAPTER 4733-37

SURVEYED ON MATCH , 2004 BY EN HERENDEEN UNDER THE SUPERVISION OF HARLY JONES, P.S. # 6343, ALL IRON PINS SHOWN HEREON WERE EITHER FOUND OR SET AS NOTED.

THE TOPOGRAPHY, INDICATED BY 1' CONTOURS, AND ELEVATIONS SHOWN HERON REPRESENT AN ACTUAL FIELD SURVEY MADE BY DITELED ON 3104. THE ELEVATIONS WERE TAKEN AT APPROPRIATE INTERVALS AND AS OF THE ABOVE DATE THEY EXISTED AS INDICATED HEREON.

CURTAIN DRAIN to

Road ditch

JOAN MILLER

20A-30-4

S/L 9 MARIA KRISTANC 20A-30C-9

DOC. 2003R027434 20A 30C-10

CITY OF KIRTLAND 20A-30C-11

S/L 11

(VACANT)

1060

1055

FF 10625

HOME ABRATIONS

Erosion and Sediment Control Schedule

ingress—Egress
A stone access drive complete with under lying geo—textile fabric (20 feet wide and 50 feet long) for ingress and egress at the site shall be installed. This drive shall be only entrance and exit to the site.

Silt Fence
A silt fence shall be installed prior to any earthwork activities at the site in the locations shown on the site plan as well as along the front of any lot that slopes—towards the street.

Temporary Seeding
Disturbed areas of the site that are to remain idle for more than

thirty(30) days shall be properly seeded and straw mulched within seven(7) days of completion of initial grading.

Temporary seeding and mulching over a thirty(30) foot stirp of the entire front of the lot shall be maintained on the site once initial grading is complete.

Stabilization of critical areas within fifty(50) feet of any stream or wetland shall be complete within two(2) days of the disturbance if the site is to remain inactive for longer than fourteen(14) days.

9

PALOMINO

Mulching
Straw—mulch shall be applied at a rate of 1 bale per every ten
(10) feet of curb, at a width of thirty(30) feet to the entire
length of the lot. Wood chips may also be used but must be
spread at a minimum depth of four inches over the thirty—foot
width and must be accompanied by a properly installed silt
fence.

Maintenance
Erosion and sediment controls shall be inspected every seven(7)
days with 24 hours of a 0.5° or greater rainfall event.
Necessary repairs shall be made at this time.

TBM TOP OF HYDRANT

ELEV-1061.06

EXISTING UTILITIES NOTE:
THE SIZE AND LOCATION, BOTH HORIZONTAL AND VERTICAL
OF THE UNDERGROUND UTILITIES SHOWN HEREON, HAVE BEEN
OBTAINED BY A SEARCH OF AVAILABLE RECORDS.
VERIFICATION BY FIELD OBSERVATION HAS BEEN CONDUCTED
WHERE PRACTICAL, HOWEVER, BABCOCK, JONES AND ASSOCIATES
INC. DOES NOT GUARANTEE THE COMPLETENESS NOR ACCURACY
THEREOF.



EV NO.	DESCRIPTION	DATE	BY	CHK,D
1	CHANGED HOUSE FOUNDATION	7/27/04	N.S.	H.J.
2 Revise	REUSED PER L.C. HEALTH DEAT	1/25/06	HT	17

PAINESVILLE OHIO 44077

DATE	3/3/04	
DESIGN BY	HJ	
DRAWN BY	NS	
APPROVED BY	LII	l

BRIDLEHURST TRAIL

SITE PLAN GARY GUGLIOTTA S/L 10 BRIDLEHURST ESTATES VOL. Y - PG. 31

CITY OF KIRTLAND LAKE COUNTY STATE OF OHIO

1"=30' 04-025

bí	BABCOCK, JONES AND ASSOCIATES, INC	
	CIVIL ENGINEERS — SURVEYORS — LAND PLANNERS	