

SITE PLAN
FOR
TED LYNDAL

BEING PART OF LOT NO 13, TRACT NO 4,
IN THE TOWNSHIP OF MADISON COUNTY
OF LAKE, STATE OF OHIO

BM - D Run Mc Mackin Rd 72" cul 596.75



EXIST. ELEV. 165.5
EXIST. ELEV. 165.5

<VACANT>

EDWARD B. & VIRGINIA A. LYNDAL
VOL. 365-531

Grading Plan Approved
as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer
By dlr Date 5-1-89

LAKE ERIE

APPROXIMATE TOP OF BANK

120' x 25' EASEMENT
FOR DUPLICATION

4 LINES @ 112.5'

FF-633.75
BSMT-625.75

GAR-632.25

17' DRIVE

0' PROP WELL

HYDRAULIC PROFILE
VERT. 1" = 4' HORIZ. 1" = 20'

- A. To be brought to finished grade
1. Septic tank manhole covers
 2. Sewer box cover
 3. Distribution box cover
- B. No foot or drains or downspouts to be discharged into septic tanks
- C. All waste water to be discharged into septic tanks

1000 GAL TANK
INT. 628.0
1000 GAL TANK
INT. 628.1

SPLITTER
INT. 627.9

2 IN. DIST. BOXES
INT. 627.7

PUMP REQUIRED IF
PLUMBING IN BSMT.

Reviewed and Accepted
LAKE COUNTY GENERAL HEALTH DISTRICT
Date 5-2-89

JOEL LYDIA, R.S.M.P.H.
(Health Commissioner)

BY Joel Lydia

SEWAGE DISPOSAL PERMIT MUST BE
OBTAINED BY A LAKE COUNTY LICENSED
INSTALLER BEFORE INSTALLATION IS
STARTED.

LOW YIELD WATER
FIXTURES REQUIRED
ON ALL:
Shower Head
Toilet

DAVID H. & M.J. GAFFNEY
VOL. 137-500

APPROVED
MADISON TWP. ENGINEER
Permit: 12491
Issued: 4/22/89

THIS PLAT WAS PREPARED BY ME AND IS ACCURATE
TO THE BEST OF MY KNOWLEDGE AND BELIEF.

VILLAGE OF NORTH PERRY
VOL. 123-1241

APRIL 5, 1989
REV. SERIAL 422-89