





Seeding Dates	Species	Lb./1,000 ft. <sup>2</sup>	Per Ac.
March 1 to August 15	Oats	3 .	4 bushel
	Tail Fescue	1	40 16.
	Annual Ryegress	1	40 lb.
	Perennial Ryegrass	1	40 lb.
	Tall Fescue	1	40 lb.
	Annual Ryegrass	1	40 lb.
August 16 to November 1	Rye	3	2 bushel
	Tell Fescue	1	40 lb.
	Annual Ryegrass	1	40 ib.
	Wheat	3	2 bushel
	Tall Fescue	i i	40 lb.
	Annual Ryegrass	1	40 fb.
	Perennial Ryegrass	1	40 lb.
	Tell Fescue	1	40 fb.
	Annual Ryagrass	1	40 lb.
November 1 to Spring Seeding	Use mulch only, sodding practices or dormant seeding.		

Erosion and Sediment Control Schedule

Ingress—Egress
A stone access drive complete with under lying geo—textile fabric (20 feet wide and 50 feet long) for ingress and egress at the site shall be installed. This drive shall be the only entrance and exit to the site.

Silt Fence
A silt fence shall be installed prior to any earthwork activities at the site in the locations shown on the site plan as well as along the front of any lot that slopes towards the street.

Temporary Seeding
Disturbed areas of the site that are to remain Idle for more than twenty one(21) days shall be properly seeded and straw mulched within seven(7) days of completion of intitial grading.

Temporary seeding and mulching as a thirty(30) foot strip of the entire front of the lot shall be maintained on the site once initial grading is complete.

Stabilization of critical areas within fifty(50) feet of any stream or wetland shall be complete within two(2) days of the disturbance if the site is to remain inactive for longer than fourteen(14) days.

Straw—mulch shall be applied at a rate of 1 bale per every ten (10) feet of curb, at a width of thirty(30) feet to the entire length of the lot. Wood chips may also be used but must be spread at a minimum depth of four inches over the thirty—foot width and must be accompanied by a properly installed silt

<u>Maintenance</u>

Erosion and sediment controls shall be inspected every seven(7) days or within 24 hours of a 0.5" or greater rainfall event. Necessary repairs shall be made at this time.

> "I, the undersigned hereby certify that this topography indicated by 6", 1', or 2' contours, and elevations shown hereon represent an actual field survey made by me on the \_\_\_\_\_day of \_\_\_\_\_,20 \_\_\_ and that the elevations were taken at appropriate intervals and that as of that date they existed as indicated hereon."

MADISON TOWNSHIP, LAKE COUNTY, OHIO				
for: TRESGER CONSTRUCTION				
ADDRESS S	REET CITY ZP			
WHISPERING PINGS SUB-	TIME!			
4 VOL-PO GREENBRING	LOT SINEET			
SUSTOT NO. STREET VOL-PG. PERM. PARCE, NO. LEGEND				
SANTARY MANHOLE	DOST. ELEV. 5-1000 = Z PROP. ELEV.			
STORM MANHOLE	AS BUILT ELEWITON			
HYDRANT	MOICATES  DIRECTION OF			
PROPOSED CONTOURS	SURFACE DIVINAGE			
	ARKS			
ALL BOUNDARY DATA SHOWN WAS OUTAINED FROM (DEEDS, RECORDED SUBDIVISION PLAT OR OTHER PUBLIC RECORDS)				
LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT				
DESIGN C	ERTIFICATION			
THIS PLAT/WAS PREPARE TO THE BEST OF MY KNO	D BY ME, AND IS CORRECT WILEDGE AND BELIEF.			
Halla &	My #6343			
NAME OF SHIMPOR REGISTRATION NO.				
NO. OF BEDROOMS	WIXTER MAIN SIZE, LOCATION SAN, SEWER SIZE % GR. LOC.			
DIMENSIONS BEARINGS THE TO NEAREST STREET	SAN. MH. CAST. ELEV. MV. ELEV. SAN. COMM. SIZE, LOC. DEPTH			
SUBLOT NO. PARCEL NO. SURROUNDING OWNERS BLDG. DIMENSIONS FIN GR.	STORM SEWER SIZE % GR. LOC. STORM MH. CAST ELEV. INV. ELEV.			
BLDG. TIES PL'R. GIMDES APRON TYPE WIDTH THICKNESS	PAY'T TYPE GRADE CURBS  GAS LINE LOC. SIZE PRESSURE  SEPTIC TANK LOCATION & DUPLICATION AREA			
SIDEMALK TYPE WOTH THICKNESS CULVERT TYPE DIA., LENGTH ROCK OUTCROPPINGS	WELL LOCATION ISOLATION RADIUS FROM WELL			
REVISIONS				
NO. DATE BY BARCO	PLAN PREPARED BY:  BABCOCK - JONES & ASSOCIATES, INC.			
PANESMILE, OHO				
3 DIMMIN BY	SCALE PHONE NO. 440-357-181			
4 CHRD.	- DATE 1/3/07 DIVAMING NO.			
8 (4.5)	147 00.010 4			

"AS BUILT" CERTIFICATION

I, HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING
FINISH GRADES CHECKED IN THE FIELD ON \_\_\_\_\_\_\_\_, 20\_\_\_\_\_
AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REDISTERED SURVEYOR

REG. NO.

EXISTING UTILITIES NOTE:
THE SIZE AND LOCATION, BOTH HORIZONTAL AND VERTICAL.
OF THE UNDERGROUND UTILITIES SHOWN HEREON, HAVE BEEN
OBTAINED BY A SEARCH OF AVAILABLE RECORDS.
VERIFICATION BY FIELD OBSERVATION HAS BEEN CONDUCTED
WHERE PRACTICAL, HOWEVER, BABCOCK, JONES AND ASSOCIATES
INC. DOES NOT GUARANTEE THE COMPLETENESS NOR ACCURACY
THEREOF.

