2/2

KEN INGLE SITE PLAN

[redacted]
[redacted] MARCH 5, 1998
[redacted]
[redacted]
J.M. Coffman P.S.
No. 6857

STATE OF OHIO
JOHN M. COFFMAN
6857
REGISTERED
PROFESSIONAL SURVEYOR
4-14-98

SCALE: 1" = 20'

N

EXIST.
PROP.

EXIST.
PROP.

CARL F. ERDMAN ETAL.
V. 141-1275

S 88° 46' 44" W 1347.70'

35'

10' GRAVEL R/W

25.00

20' L.PHALT

MC. MACKIN ROAD 50'

RESIDUE NO. 3
14.8541

PROP. WELL

H&O WENZEL

22'

14'

15'

7'

5216' SB

75'

1 STY FRAME
F.F. - 100.4

41'

PORCH

30'

7'

LEACH

EXISTING BARN
F.F. - 97.9

REVIEWED AND ACCEPTED
LAKE COUNTY GENERAL
HEALTH DISTRICT

Date 4/21/98 BY Daulton

SEWAGE DISPOSAL PERMIT MUST BE
OBTAINED BY A LAKE COUNTY LICENSED
INSTALLER BEFORE INSTALLATION IS
STARTED

(ASSUMED)
BENCHMARK - 100.0
NAILED TREE

CREEK

LEACHING TRENCH
CROSS SECTION

STRAW

6" WASHED GRAVEL

BACKFILL FROM SITE

4" PERFORATED PVC OR ABS

6" WASHED GRAVEL

24" OPTIMAL DEPTH
(18-36" ALLOWABLE)

1500 GAL. TANK
INV. 95.5

1500 GAL. TANK
INV. 95.5

SPLITTER
INV. 95.5

DOSE BOX (?)
INV. 95.5

HYDRAULIC PROFILE
VERT. 1" = 3' HORIZ. 1" = 10'

3 BEDROOM HOME

4" CURTAIN DRAIN (PVC)

6" SAW

4" TOPSOIL

2'-0"

OUTER DISTRIBUTION LINE

VARIES 1' MIN.

4" PERFORATED PVC OR ABS PLASTIC

1'-0"

CURTAIN DRAIN DETAIL

Grading Plan Approved
as shown and/or noted
THOMAS P. GILLES, P.E.
Lake County Engineer

By GJH Date 5.14.98

APPROVED
MADISON TOWNSHIP ZONING
DATE 4/30/98
BY JM 15732

VILLAGE SURVEYING CO.
P.O. BOX 1006, FAIRPORT HARBOR, OHIO 44077
(216) 357-1359