

### Erosion and Sediment Control Schedule

**Ingress-Egress**

A stone access drive complete with under lying geo-textile fabric (20 feet wide and 50 feet long) for ingress and egress at the site shall be installed. This drive shall be the only entrance and exit to the site.

### Silt Fence

**A silt fence shall be installed prior to any earthwork activities at the site in the locations shown on the site plan as well as along the front of any lot that slopes towards the street.**

### Temporary Seeding

Disturbance Seeding  
Disturbed areas of the site that are to remain idle for more than thirty(30) days shall be properly seeded and straw mulched within seven(7) days of completion of initial grading. Temporary seeding and mulching as a thirty(30) foot strip of the entire front of the lot shall be maintained on the site once initial grading is complete.

Stabilization of critical areas within fifty(50) feet of any stream or wetland shall be complete within two(2) days of the disturbance if the site is to remain inactive for longer than fourteen(14) days.

## Mulching



**Straw-mulch shall be applied at a rate of 1 bale per every ten (10) feet of curb, at a width of thirty(30) feet to the entire length of the lot. Wood chips may also be used but must be spread at a minimum depth of four inches over the thirty-foot width and must be accompanied by a properly installed silt fence.**

## Maintenance

Erosion and sediment controls shall be inspected every seven(7) days or within 24 hours of a 0.5" or greater rainfall event. Necessary repairs shall be made at this time.

"I, the undersigned hereby certify that this topography indicated by 6", 1', or 2' contours, and elevations shown hereon represent an actual field survey made by me on the 1972 day of Nov., 2004 and that the elevations were taken at appropriate intervals and that as of that date they existed as indicated hereon."

Name \_\_\_\_\_ Reg. No \_\_\_\_\_

<u>PAINESVILLE TWP., LAKE COUNTY, OHIO</u>			
for: <u>WILSHIRE HOMES</u>			
CLIENT _____ OWNER _____			
ADDRESS _____	STREET _____	CITY _____	ZIP _____
<u>LAKE ERESHAM #3</u>			
SUBDIVISION <u>4-2-4</u>	NAME _____	TRACT _____	STREET _____
<u>229</u>	VOL.-Pg. <u>OUTRIGGER Cove</u>	LOT _____	
SUBLOT NO. _____	STREET _____	VOL.-Pg. _____	TOWN, PARCEL NO. _____
<b>LEGEND</b>			
SANITARY MANHOLE ----- ○ STORM MANHOLE ----- ● INLET OR CATCH BASIN ----- ◼ HYDRANT ----- ◇ EXISTING CONTOURS ----- ~~~~~~ PROPOSED CONTOURS ----- - - - -	EXIST. ELEV. <u>5210.0</u> <u>100.0 ± 2</u> PROP. ELEV.  AS BUILT ELEVATION   INDICATES DIRECTION OF SURFACE DRAINAGE  		
<b>REMARKS</b>			
ALL BOUNDARY DATA SHOWN WAS OBTAINED FROM (DEEDS, RECORDED SUBDIVISION PLAT OR OTHER PUBLIC RECORDS)			
LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT			
<b>DESIGN CERTIFICATION</b>			
THIS PLAT WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.			
NAME <u>Haley J. Jones</u>	SURVITOR <u>#6343</u>	REGISTRATION NO. _____	
<b>CHECK LIST</b>			
NO. OF BEDROOMS _____ DIMENSIONS _____ TIES TO NEAREST STREET _____ SUBLLOT NO. PARCEL NO. _____ SURROUNDING OWNERS _____ E.L.G. DIMENSIONS FOR GR. _____ E.L.G. TIES P.T.R. GRADES _____ APRON TYPE WIDTH THICKNESS _____ SIDEWALK TYPE WIDTH THICKNESS _____ CURB/TYPE DIA., LENGTH _____ ROCK OUTCROPPINGS _____	WATER MAIN SIZE, LOCATION _____ SAN. SEWER SIZE & GR. LOC. _____ SAN. MH. CHST. ELEV. INV. ELEV. _____ SAN. CONN. SIZE, LOC. DEPTH _____ STORM SEWER SIZE & GR. LOC. _____ STORM MH. CHST. ELEV. INV. ELEV. _____ PAV'T TYPE GRADE CURVES _____ ONE LINE LOC. SIZE PRESSURE _____ SEPTIC TANK LOCATION & DUPLICATION AREA _____ WELL LOCATION _____ ISOLATION RADIUS FROM WELL _____		
<b>REVISIONS</b>		<b>PLAN PREPARED BY:</b>	
NO.	DATE	BY	
1			
2			
3			
4			
5			
DRAWN BY <u>BP</u>			SCALE <u>—</u>
CHK'D. <u>HKT</u>			DATE <u>11/23/04</u>
CHG. CHET <u>—</u>			APP'D. <u>HKT</u>
			PHONE NO. <u>440-357-1811</u>
			DRAWING NO. <u>04-043-229</u>
<b>BABCOCK · JONES &amp; ASSOCIATES, INC.</b>			
PAINESVILLE, OHIO			

**"AS BUILT" CERTIFICATION**  
I, HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING  
FINISH GRADES CHECKED IN THE FIELD ON \_\_\_\_\_, 20\_\_\_\_  
AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

**REGISTERED SURVEYOR**

**REG. NO.**

**EXISTING UTILITIES NOTE:**  
THE SIZE AND LOCATION, BOTH HORIZONTAL AND VERTICAL  
OF THE UNDERGROUND UTILITIES SHOWN HEREON, HAVE BEEN  
OBTAINED BY VISUAL SURVEY OF AVAILABLE RECORDS.  
VERIFICATION BY FIELD OBSERVATION HAS BEEN CONDUCTED  
WHERE PRACTICAL, HOWEVER, BABCOCK, JONES AND ASSOCIATES  
INC. DOES NOT GUARANTEE THE COMPLETENESS NOR ACCURACY  
THEREOF.

