







•	3 .		
Feacus uai Ryegrass	1	4 bushet 40 lb. 40 lb.	
Fescue	1 1 1	40 lb. 40 lb. 40 lb.	
Fescue	3 1 1	2 bushel 40 lb. 40 lb.	
Fescue	3 1 1	2 bushel 40 lb. 40 lb.	
Fescue	1 1 1	40 lb. 40 lb. 40 lb.	
	rinial Ryegrass Fescue ual Ryegrass est Fescue ual Ryegrass ent Fescue ual Ryegrass rinial Ryegrass Fescue ual Ryegrass	ronial Ryegrass 1 Fescue 1 ual Ryegrass 1 Fescue 1 ual Ryegrass 1 sat 3 Fescue 1 ual Ryegrass 1 ronial Ryegrass 1 Fescue 1 ronial Ryegrass 1 Fescue 1	

:THUVED SIDE LINES & SET BACK PERRY TOWNSHIP ZONING PERMIT NO. 7688 ZONING INSPECTOR

Erosion and Sediment Control Schedule

ngress-Egress

A stone access drive complete with under lying geo-textile fabric (20 feet wide and 50 feet long) for ingress and egress at the site shall be installed. This drive shall be the only entrance and exit to the site.

Silt Fence

A silt fence shall be installed prior to any earthwork activities at the site in the locations shown on the site plan as well as along the front of any lot that slopes towards the street.

Temporary Seeding

Disturbed areas of the site that are to remain idle for more than thirty(30) days shall be properly seeded and straw mulched within seven(7) days of completion of intitial grading. Temporary seeding and mulching as a thirty(30) foot strip of the entire front of the lot shall be maintained on the site once initial grading is complete.

Stabilization of critical areas within fifty(50) feet of any stream or wetland shall be complete within two(2) days of the disturbance if the site is to remain inactive for longer than fourteen(14) days.

Mulching
Straw-mulch shall be applied at a rate of 1 bale per every ten (10) feet of curb, at a width of thirty(30) feet to the entire length of the lot. Wood chips may also be used but must be spread at a minimum depth of four inches over the thirty—foot width and must be accompanied by a properly installed silt fence.

Erosion and sediment controls shall be inspected every seven(7) days or within 24 hours of a 0.5" or greater rainfall event. Necessary repairs shall be made at this time.

> "I, the undersigned hereby certify that this topography indicated by 6", 1', or 2' contours, and elevations shown hereon represent an actual field survey made by me on the 1572 day of 5277,20 05 and that the elevations were taken at appropriate intervals and that as of that date they existed as indicated hereon."

Name

2	i				
	PERRY TOWNSHIR for: PROBULT	LAKE	COUNT	Y, OHIO	
	ADORESS	STREET	CITY	ZIP	
	SUBOMSION 44-26 NAME	E		STREET	
	SUBLOT NO. STREE			ERM. PARCEL NO.	
	SANITARY MANHOLE STORM MANHOLE INLET OR CATCH BASIN HYDRANT EXISTING CONTOURS PROPOSED CONTOURS	X I	AS BUILT ELEVATION INDICATES DIRECTION OF SURFACE DRAINA		
	ALL BOUNDARY DATA SHOWN WAS SUBDIMISION PLAT OR OTHER PU	EMARKS S OBTAINED FROM BOLIC RECORDS)	A (DEEDS, REC	ORDED	

LOCATIONS AS SHOWN OF ADJACENT WELLS AND SEPTIC TANKS OBTAINED FROM LAKE COUNTY HEALTH DEPARTMENT

DESIGN CERTIFICATION THIS PLAT WAS PREPARED BY ME, AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

CHECK LIST NO. OF BEDROOMS
DIMENSIONS
BEARINGS
THE TO NEAREST STREET
SUBLOT NO. PARCEL NO.
SURROUNDING OWNERS
BLDG. DIMENSIONS FIN GR.
BLDG. TYPE MOTHER THEORY APRON TYPE WIDTH THICKNESS SIDEMALK TYPE WOTH THICKNESS CULVERT TYPE DIA., LENGTH ROCK OUTCROPPINGS

WATER MAIN SIZE, LOCATION SAN. SEWER SIZE X OR. LOC. SAN. MH. CAST. ELEV. INV. ELEV. SAN. CONN. SIZE, LOC. DEPTH STORM SEWER SIZE X GR. LOC. STORM MH. CAST ELEV. INV. ELEV. PAY'T TYPE GRADE CURBS
GAS LINE LOC. SIZE PRESSURE
SEPTIC TANK LOCATION & DUPLICATION AREA
WELL LOCATION
ISOLATION RADIUS FROM WELL

REGISTRATION NO.

	REVISIONS							
NO.	DATE	BY	PLAN PREPARED BY:					
1			BA	BCOCK	(- JONI	ES & A	SSOCIATES, INC	
2			PAINESVILLE, OHIO					
3			DRAWN BY	BP	SCALE		PHONE NO. 440-357-181	
4			CHKTD.	HT	DATE 9/	16/05	DRAWING NO.	
5			CHEF		APP'D	XT	05-023-12	

"AS BUILT" CERTIFICATION
HEREBY CERTIFY THAT THE CIRCLED GRADES ARE EXISTING FINISH GRADES CHECKED IN THE FIELD ON. AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED SURVEYOR

REG. NO.

EXISTING UTILITIES NOTE: THE SIZE AND LOCATION, BOTH HORIZONTAL AND VERTICAL OF THE UNDERGROUND UTILITIES SHOWN HEREON, HAVE BEEN OBTAINED BY A SEARCH OF AVAILABLE RECORDS.

VERIFICATION BY FIELD OBSERVATION HAS BEEN CONDUCTED WHERE PRACTICAL, HOWEVER, BABCOCK, JONES AND ASSOCIATES INC. DOES NOT GUARANTEE THE COMPLETENESS NOR ACCURACY THEREOF.

