

**SUPERELEVATION TABLE**

CALCULATED  
NAH  
CHECKED  
ABS

| REMARKS | ACCEL/DECEL - WESTBOUND |                 |                      |             |       | LANE 4 - WESTBOUND |                 |                      |             |       | LANE 3 - WESTBOUND |                 |                      |             |       | LANE 2 - WESTBOUND |                 |                      |             |       | LANE 1 - WESTBOUND |                 |                      |             |       | WEST PROFILE GRADE CONTROL |           |
|---------|-------------------------|-----------------|----------------------|-------------|-------|--------------------|-----------------|----------------------|-------------|-------|--------------------|-----------------|----------------------|-------------|-------|--------------------|-----------------|----------------------|-------------|-------|--------------------|-----------------|----------------------|-------------|-------|----------------------------|-----------|
|         | EDGE ELEVATION          | TRANSITION RATE | ELEVATION CORRECTION | CROSS SLOPE | WIDTH | EDGE ELEVATION     | TRANSITION RATE | ELEVATION CORRECTION | CROSS SLOPE | WIDTH | EDGE ELEVATION     | TRANSITION RATE | ELEVATION CORRECTION | CROSS SLOPE | WIDTH | EDGE ELEVATION     | TRANSITION RATE | ELEVATION CORRECTION | CROSS SLOPE | WIDTH | EDGE ELEVATION     | TRANSITION RATE | ELEVATION CORRECTION | CROSS SLOPE | WIDTH | PROFILE GRADE              | STATION   |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.57             |                 | -0.192               | -0.016      | 12.00 | 619.77             |                 | -0.192               | -0.016      | 12.00 | 619.96             |                 | 0.000                | 0.000       | 12.00 | 619.96                     | 414+22.88 |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.58             |                 | -0.192               | -0.016      | 12.00 | 619.77             |                 | -0.192               | -0.016      | 12.00 | 619.96             |                 | -0.003               | 0.000       | 12.00 | 619.97                     | 414+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.65             |                 | -0.192               | -0.016      | 12.00 | 619.84             |                 | -0.192               | -0.016      | 12.00 | 620.03             |                 | -0.039               | -0.003      | 12.00 | 620.07                     | 414+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.71             |                 | -0.192               | -0.016      | 12.00 | 619.90             |                 | -0.192               | -0.016      | 12.00 | 620.10             |                 | -0.075               | -0.006      | 12.00 | 620.17                     | 414+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.78             |                 | -0.192               | -0.016      | 12.00 | 619.97             |                 | -0.192               | -0.016      | 12.00 | 620.16             |                 | -0.110               | -0.009      | 12.00 | 620.27                     | 415+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.84             |                 | -0.192               | -0.016      | 12.00 | 620.04             |                 | -0.192               | -0.016      | 12.00 | 620.23             |                 | -0.146               | -0.012      | 12.00 | 620.37                     | 415+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.91             |                 | -0.192               | -0.016      | 12.00 | 620.10             |                 | -0.192               | -0.016      | 12.00 | 620.29             |                 | -0.182               | -0.015      | 12.00 | 620.47                     | 415+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.93             |                 | -0.192               | -0.016      | 12.00 | 620.12             |                 | -0.192               | -0.016      | 12.00 | 620.31             |                 | -0.192               | -0.016      | 12.00 | 620.50                     | 415+57.09 |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.92             |                 | -0.218               | -0.018      | 12.00 | 620.14             |                 | -0.218               | -0.018      | 12.00 | 620.36             |                 | -0.218               | -0.018      | 12.00 | 620.58                     | 415+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.92             |                 | -0.253               | -0.021      | 12.00 | 620.17             |                 | -0.253               | -0.021      | 12.00 | 620.42             |                 | -0.253               | -0.021      | 12.00 | 620.68                     | 416+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.91             |                 | -0.289               | -0.024      | 12.00 | 620.20             |                 | -0.289               | -0.024      | 12.00 | 620.49             |                 | -0.289               | -0.024      | 12.00 | 620.78                     | 416+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.91             |                 | -0.325               | -0.027      | 12.00 | 620.23             |                 | -0.325               | -0.027      | 12.00 | 620.56             |                 | -0.325               | -0.027      | 12.00 | 620.88                     | 416+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.90             |                 | -0.361               | -0.030      | 12.00 | 620.26             |                 | -0.361               | -0.030      | 12.00 | 620.62             |                 | -0.361               | -0.030      | 12.00 | 620.98                     | 416+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.90             |                 | -0.396               | -0.033      | 12.00 | 620.29             |                 | -0.396               | -0.033      | 12.00 | 620.69             |                 | -0.396               | -0.033      | 12.00 | 621.08                     | 417+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.89             |                 | -0.432               | -0.036      | 12.00 | 620.32             |                 | -0.432               | -0.036      | 12.00 | 620.75             |                 | -0.432               | -0.036      | 12.00 | 621.19                     | 417+24.85 |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.89             |                 | -0.432               | -0.036      | 12.00 | 620.32             |                 | -0.432               | -0.036      | 12.00 | 620.75             |                 | -0.432               | -0.036      | 12.00 | 621.19                     | 417+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 619.99             |                 | -0.432               | -0.036      | 12.00 | 620.42             |                 | -0.432               | -0.036      | 12.00 | 620.86             |                 | -0.432               | -0.036      | 12.00 | 621.29                     | 417+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.09             |                 | -0.432               | -0.036      | 12.00 | 620.53             |                 | -0.432               | -0.036      | 12.00 | 620.96             |                 | -0.432               | -0.036      | 12.00 | 621.39                     | 417+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.20             |                 | -0.432               | -0.036      | 12.00 | 620.63             |                 | -0.432               | -0.036      | 12.00 | 621.06             |                 | -0.432               | -0.036      | 12.00 | 621.49                     | 418+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.30             |                 | -0.432               | -0.036      | 12.00 | 620.73             |                 | -0.432               | -0.036      | 12.00 | 621.16             |                 | -0.432               | -0.036      | 12.00 | 621.59                     | 418+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.40             |                 | -0.432               | -0.036      | 12.00 | 620.83             |                 | -0.432               | -0.036      | 12.00 | 621.26             |                 | -0.432               | -0.036      | 12.00 | 621.69                     | 418+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.50             |                 | -0.432               | -0.036      | 12.00 | 620.93             |                 | -0.432               | -0.036      | 12.00 | 621.36             |                 | -0.432               | -0.036      | 12.00 | 621.80                     | 418+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.60             |                 | -0.432               | -0.036      | 12.00 | 621.03             |                 | -0.432               | -0.036      | 12.00 | 621.47             |                 | -0.432               | -0.036      | 12.00 | 621.90                     | 419+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.70             |                 | -0.432               | -0.036      | 12.00 | 621.14             |                 | -0.432               | -0.036      | 12.00 | 621.57             |                 | -0.432               | -0.036      | 12.00 | 622.00                     | 419+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.80             |                 | -0.432               | -0.036      | 12.00 | 621.24             |                 | -0.432               | -0.036      | 12.00 | 621.67             |                 | -0.432               | -0.036      | 12.00 | 622.10                     | 419+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 620.91             |                 | -0.432               | -0.036      | 12.00 | 621.34             |                 | -0.432               | -0.036      | 12.00 | 621.77             |                 | -0.432               | -0.036      | 12.00 | 622.20                     | 419+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.01             |                 | -0.432               | -0.036      | 12.00 | 621.44             |                 | -0.432               | -0.036      | 12.00 | 621.87             |                 | -0.432               | -0.036      | 12.00 | 622.30                     | 420+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.11             |                 | -0.432               | -0.036      | 12.00 | 621.54             |                 | -0.432               | -0.036      | 12.00 | 621.97             |                 | -0.432               | -0.036      | 12.00 | 622.41                     | 420+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.21             |                 | -0.432               | -0.036      | 12.00 | 621.64             |                 | -0.432               | -0.036      | 12.00 | 622.08             |                 | -0.432               | -0.036      | 12.00 | 622.51                     | 420+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.31             |                 | -0.432               | -0.036      | 12.00 | 621.74             |                 | -0.432               | -0.036      | 12.00 | 622.18             |                 | -0.432               | -0.036      | 12.00 | 622.61                     | 420+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.41             |                 | -0.432               | -0.036      | 12.00 | 621.85             |                 | -0.432               | -0.036      | 12.00 | 622.28             |                 | -0.432               | -0.036      | 12.00 | 622.71                     | 421+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.52             |                 | -0.432               | -0.036      | 12.00 | 621.95             |                 | -0.432               | -0.036      | 12.00 | 622.38             |                 | -0.432               | -0.036      | 12.00 | 622.81                     | 421+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.62             |                 | -0.432               | -0.036      | 12.00 | 622.05             |                 | -0.432               | -0.036      | 12.00 | 622.48             |                 | -0.432               | -0.036      | 12.00 | 622.91                     | 421+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.72             |                 | -0.432               | -0.036      | 12.00 | 622.15             |                 | -0.432               | -0.036      | 12.00 | 622.58             |                 | -0.432               | -0.036      | 12.00 | 623.02                     | 421+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.82             |                 | -0.432               | -0.036      | 12.00 | 622.25             |                 | -0.432               | -0.036      | 12.00 | 622.69             |                 | -0.432               | -0.036      | 12.00 | 623.12                     | 422+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 621.92             |                 | -0.432               | -0.036      | 12.00 | 622.35             |                 | -0.432               | -0.036      | 12.00 | 622.79             |                 | -0.432               | -0.036      | 12.00 | 623.22                     | 422+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.02             |                 | -0.432               | -0.036      | 12.00 | 622.46             |                 | -0.432               | -0.036      | 12.00 | 622.89             |                 | -0.432               | -0.036      | 12.00 | 623.32                     | 422+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.13             |                 | -0.432               | -0.036      | 12.00 | 622.56             |                 | -0.432               | -0.036      | 12.00 | 622.99             |                 | -0.432               | -0.036      | 12.00 | 623.42                     | 422+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.23             |                 | -0.432               | -0.036      | 12.00 | 622.66             |                 | -0.432               | -0.036      | 12.00 | 623.09             |                 | -0.432               | -0.036      | 12.00 | 623.52                     | 423+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.33             |                 | -0.432               | -0.036      | 12.00 | 622.76             |                 | -0.432               | -0.036      | 12.00 | 623.19             |                 | -0.432               | -0.036      | 12.00 | 623.63                     | 423+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.43             |                 | -0.432               | -0.036      | 12.00 | 622.86             |                 | -0.432               | -0.036      | 12.00 | 623.29             |                 | -0.432               | -0.036      | 12.00 | 623.73                     | 423+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.53             |                 | -0.432               | -0.036      | 12.00 | 622.96             |                 | -0.432               | -0.036      | 12.00 | 623.40             |                 | -0.432               | -0.036      | 12.00 | 623.83                     | 423+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.63             |                 | -0.432               | -0.036      | 12.00 | 623.07             |                 | -0.432               | -0.036      | 12.00 | 623.50             |                 | -0.432               | -0.036      | 12.00 | 623.93                     | 424+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.74             |                 | -0.432               | -0.036      | 12.00 | 623.17             |                 | -0.432               | -0.036      | 12.00 | 623.60             |                 | -0.432               | -0.036      | 12.00 | 624.03                     | 424+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.84             |                 | -0.432               | -0.036      | 12.00 | 623.27             |                 | -0.432               | -0.036      | 12.00 | 623.70             |                 | -0.432               | -0.036      | 12.00 | 624.13                     | 424+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 622.94             |                 | -0.432               | -0.036      | 12.00 | 623.37             |                 | -0.432               | -0.036      | 12.00 | 623.80             |                 | -0.432               | -0.036      | 12.00 | 624.23                     | 424+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.04             |                 | -0.432               | -0.036      | 12.00 | 623.47             |                 | -0.432               | -0.036      | 12.00 | 623.90             |                 | -0.432               | -0.036      | 12.00 | 624.34                     | 425+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.14             |                 | -0.432               | -0.036      | 12.00 | 623.57             |                 | -0.432               | -0.036      | 12.00 | 624.01             |                 | -0.432               | -0.036      | 12.00 | 624.44                     | 425+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.24             |                 | -0.432               | -0.036      | 12.00 | 623.68             |                 | -0.432               | -0.036      | 12.00 | 624.11             |                 | -0.432               | -0.036      | 12.00 | 624.54                     | 425+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.35             |                 | -0.432               | -0.036      | 12.00 | 623.78             |                 | -0.432               | -0.036      | 12.00 | 624.21             |                 | -0.432               | -0.036      | 12.00 | 624.64                     | 425+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.45             |                 | -0.432               | -0.036      | 12.00 | 623.88             |                 | -0.432               | -0.036      | 12.00 | 624.31             |                 | -0.432               | -0.036      | 12.00 | 624.74                     | 426+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.55             |                 | -0.432               | -0.036      | 12.00 | 623.98             |                 | -0.432               | -0.036      | 12.00 | 624.41             |                 | -0.432               | -0.036      | 12.00 | 624.84                     | 426+25    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.65             |                 | -0.432               | -0.036      | 12.00 | 624.08             |                 | -0.432               | -0.036      | 12.00 | 624.51             |                 | -0.432               | -0.036      | 12.00 | 624.95                     | 426+50    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.75             |                 | -0.432               | -0.036      | 12.00 | 624.18             |                 | -0.432               | -0.036      | 12.00 | 624.62             |                 | -0.432               | -0.036      | 12.00 | 625.05                     | 426+75    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.85             |                 | -0.432               | -0.036      | 12.00 | 624.29             |                 | -0.432               | -0.036      | 12.00 | 624.72             |                 | -0.432               | -0.036      | 12.00 | 625.15                     | 427+00    |
|         |                         |                 |                      |             |       |                    |                 |                      |             |       | 623.96             |                 | -0.432               | -0.036      | 12.00 | 624.39             |                 | -0.432               | -0.036      | 12.00 | 624.82             |                 | -0.432               | -0.036      | 12.00 | 625.25                     | 427+25    |

**S.R. 2 SUPERELEVATION TABLE - WESTBOUND**

**LAK - 2 - 3.32**

759  
1679

j:\LAK\13486\roadway\sheets\13486GE010.dgn 03-JUL-2008 2:00PM intn