

g:\project\lak\lighting\sheet\13486\SS032.dgn 7/11/2008 9:04:04 AM dshaner

REFERENCE NO.	SHEET NO.	SIDE	ROADWAY	STATION TO STATION	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625		
					CONDUIT, 2", 725.05 FT	CONDUIT, 3", 725.05 FT	CONDUIT, 4", 725.05 (MEDIAN BARRIER) FT	CONDUIT - JACKED OR DRILLED UNDER PAVEMENT FT	LUMINAIRE, CONVENTIONAL, AS PER PLAN EA	LUMINAIRE, LOW MAST, AS PER PLAN (SYMMETRIC) EA	LUMINAIRE, LOW MAST, AS PER PLAN (ASYMMETRIC TYPE II) EA	LUMINAIRE, LOW MAST, AS PER PLAN (ASYMMETRIC TYPE III) EA	LUMINAIRE, POST TOP, AS PER PLAN EA	LUMINAIRE, UNDERPASS, AS PER PLAN EA	TRENCH FT	TRENCH IN PAVED AREA, TYPE B FT	TRANSITION JUNCTION BOX EA	STRUCTURE JUNCTION BOX EA	BARRIER JUNCTION BOX EA	PULL BOX, 725.06, 17"x30" EA	GROUND ROD EA	STRUCTURE GROUNDING SYSTEM EA	POWER SERVICE, AS PER PLAN EA	SPECIAL-PLASTIC CAUTION TAPE FT	SERVICE TO UNDERPASS LIGHTING EA	SPECIAL-MAINTAIN EXISTING LIGHTING LUMP	LIGHTING, MISC.: UNDERPASS LIGHTING SYSTEM LUMP
R-1	1258	LT	SR 2	468+53.65																							
R-2	1258	RT	SR 2	468+72.23																							
R-3	1258	LT	RAMP O	170+65.20																							
R-4	1258	LT	RAMP O	174+92.02																							
R-5	1258	LT	SR 2	474+80.39																							
R-6	1258	CL	SR 2	477+12.42																							
R-7	1258	LT	RAMP O	171+13.01																							
R-8	1258	LT	RAMP O	171+10.40																							
E-1	1258	CL	SR 2	467+50.00-468+26.42			77																				
RC-19	1258	CL	SR 2	468+26.42						1						1		2									
E-2	1258	CL	SR 2	468+26.42-469+50.63			124																				
RC-20	1258	CL	SR 2	469+50.63						1						1		2									
E-3	1258	CL	SR 2	469+50.63-470+90.06			140																				
RC-21	1258	CL	SR 2	470+90.06						1						1		2									
E-4	1258	CL	SR 2	470+90.06-472+20.81			131																				
RC-22	1258	CL	SR 2	472+20.81						1						1		2									
E-5	1258	CL	SR 2	472+20.81-473+54.30			134																				
RC-23	1258	CL	SR 2	473+54.30						1						1		2									
E-6	1258	CL	SR 2	473+54.30-474+92.23			138																				
RC-24	1258	CL	SR 2	474+92.23						1						1		2									
E-7	1258	CL	SR 2	474+92.23-476+43.69			152																				
RC-25	1258	CL	SR 2	476+43.69						1						1		2									
RD-5	1258	CL	SR 2	477+75.67						1						1		2									
E-8	1258	CL	SR 2	477+75.67-479+11.37			136																				
RD-6	1258	CL	SR 2	479+11.37						1						1		2									
E-9	1258	CL	SR 2	479+11.37-480+00			89																				
PB-8R	1258	RT	SR 2	467+71.50													1										
E-10	1258	RT/CL	SR 2	467+71.50-468+26.42				92																			
E-11	1258	CL/LT	SR 2	468+26.42-469+04.87			105																				
PB-7R	1258	LT	SR 2	469+04.87													1										
E-12	1258	LT/RT	SR 2/RAMP O	469+04.87-170+56.92								243									243						
PB-4R	1258	RT	RAMP O	170+56.92													1										
E-13	1258	RT/LT	RAMP O	170+56.92-170+69.38			100																				
PB-3R	1258	LT	RAMP O	170+69.38													1										
E-14	1258	LT	RAMP O	170+69.38-171+09.92								96									96						
RA-2	1258	RT	RAMP I	70+05.81							1						1										
E-15	1258	RT	RAMP I	69+85.96-70+05.81								20									20						
PB-2R	1258	RT	RAMP I	69+85.96													1										
E-16	1258	RT/LT	RAMP I	69+85.96-70+17.50			73																				
PB-1R	1258	LT	RAMP I	70+17.50													1										
E-17	1258	LT	RAMP I	70+17.50-70+36.18								20									20						
RA-1	1258	LT	RAMP I	70+36.18							1						1										
E-18	1258	LT/LT	RAMP I/O	70+17.50-171+09.92			271																				
E-19	1258	LT	RAMP O	171+09.92-171+35.65								122									122						
PB-5R	1258	LT	RAMP O	171+35.65													1										
E-20	1258	LT/RT	RAMP O	171+35.65-171+21.18			67																				
PB-6R	1258	RT	RAMP O	171+21.18													1										
TOTALS CARRIED TO GENERAL SUMMARY					0	0	1121	708	0	9	2	0	0	0	501	0	0	0	9	8	20	0	0	501	0	0	0

LIGHTING SUBSUMMARY

LAK - 2 - 3.32

CALCULATED
JMS
CHECKED
ZFB

1235
1679