



CALCULATED
CHECKED

TRAFFIC CONTROL PLAN
STATE STREET & WASHINGTON STREET

LAKE COUNTY
LAK-20-22.916/VARIOUS



PROP. CONTROLLER WITH FOUNDATION
STA 0+984.8, 7.7 m L

PROP. SIGNAL SUPPORT, P1
TYPE TC-81.20 DESIGN 2, 7.6m ARM WITH
PEDESTRIAN SIGNAL AND PUSHBUTTON
STA 0+987.4, 7.7 m L

PROP. 51 MM CONDUIT
RISER FOR POWER
STA 0+988.4, 7.7 m L

REMOVE EXIST CONTROLLER
STA 0+988.4, 7.7 m L

PROP. 330mm X 600mm PULLBOX, PB1
STA 0+989.1, 7.7 m L

STA 0+996.8
18.7 m L

STA 0+994.1
16.8 m L

16.7m - 75mm C
JACKED OR DRILLED

3.5m - 51 mm C
2.1m - 51 mm C
PROP 100mm CONCRETE
WALK 18.4 SQ. m

PROP 100mm CONCRETE
WALK 6.5 SQ. m

3.5m - 51 mm C
18.5m - 76 mm C
JACKED OR DRILLED

24.2m - 51 mm C

REMOVE EXIST STRAIN POLE
STA 1+009.3, 7.4 m R

PROP. SIGNAL SUPPORT, P3
TYPE TC-81.20, DESIGN 12 POLE, WITH
TYPE TC-81.20, DESIGN 11, 12.4m ARM AND
TYPE TC-81.20, DESIGN 1, 6.8m ARM WITH
PEDESTRIAN SIGNAL AND PUSHBUTTON
STA 1+010.4, 8.1 m R

PROP. 450mm PULLBOX, PB3
STA 1+011.8, 7.5 m R


PROP. 450mm PULLBOX, PB4
STA 1+026.4, 7.5 m R

PROP. 450mm PULLBOX, PB2
STA 1+005.7, 10.0 m L

PROP. 2.4 M PEDESTAL, P2
WITH PEDESTRIAN SIGNALS AND PUSHBUTTONS
STA 1+008.4, 7.7 m L

EXIST. POLE
PROP. 51mm CONDUIT RISER
STA 1+029.6, 7.3 m L

PED SIGNS




R-73A
225mm x 300mm
QTY = 2




R-73A
225mm x 300mm
QTY = 2

SIGNALS



ALL SIGNAL HEADS
ALL HEADS ARE 300mm POLYCARBONATE



Y - Y
Z - Z
TYPE D2

STATE STREET

WASHINGTON STREET