



### PAVEMENT

REF.	LOCATION											
		203	301	402	403	404	407	608	609	203	452	203
		SUBGRADE COMPACTION	ASPHALT CONC. BASE	ASPHALT CONC.	ASPHALT CONC. PRELEVEL	ASPHALT CONC.	TACK COAT	CONCRETE WALK	CONCRETE CURB STANDARD TYPE 6	EXCAVATION NOT INCL. EMBANKMENT 24" S TRENCHION	8" PLAIN PORTLAND CEMENT CONC. PAV'T.	EMBANKMENT
		S.Y.	C.Y.	C.Y.	C.Y.	C.Y.	GAL.	S.F.	L.F.	C.Y.	S.Y.	C.Y.
1	112+60 TO 116+00- 31.33' R TO 20'L				30	48	173					
2	112+60 TO 116+00- 18'R TO 31.33'R	259	64	16								
3	112+75 TO 112+98 - R							150				
4	112+60 TO 116+00 - L								340			
5	112+98 TO 115+34 - R							1180				
6	112+60 TO 116+00 - R								340			
7*	115+20 TO 115+55 - R W=16' L=15'		10	5		3	9			13	44	15
8	115+50 TO 116+00 - R							250				
9*	115+46 TO 115+72 - L W=16'									2	12	1
TOTAL		259	74	21	30	51	182	1580	680	15	56	16

\* DRIVEWAY

QUANTITY CALCULATIONS  
BY NSS DATE 11/3/72  
CHKD JRP DATE 11/10/72