

EXTRA AREA DETAILS


SCALE : 1" = 10'

FED. RD. DIVISION	STATE	PROJECT
2	OHIO	

16
34


LAKE COUNTY

LAK - 283 - 16.85



LEGEND

- New Pavement 1"-404, 1 1/2"-402, 9"-305, 6"-310 and 407 Tack Coat @ 0.10 Gal./Sq.Yd.)
- Item-402, Asphalt Concrete, Variable Depth 0" Min. Used to Correct Exist. Parabolic Roadway Crown; 1" Item-404; 407 Tack Coat
- Feather 1"-404; 407 Tack Coat
- 1" Item-404; Item-407 Tack Coat



SUMMARY OF EXTRA AREA QUANTITIES

LOCATION OF EXTRA AREA INTERSECTION	PLAN SHEET No.	ITEM 203 ROADWAY EXCAVATION INCL. EMBANKMENT	ITEM 203 SUBGRADE PREPARATION	ITEM 310 SUBBASE (GRADING "C" or "D" 6" DEPTH)	ITEM 402 ASPHALT CONCRETE (1 1/2" LEVELING)	ITEM 402 ASPHALT CONCRETE (VARIABLE LEVELING 0" MIN. DEPTH)	ITEM 404 ASPHALT CONCRETE (1" SURFACE)	ITEM 305 PORTLAND CEMENT CONCRETE BASE (9" DEPTH)	ITEM 407 TACK COAT (AT 0.10 GAL./SQ.YD.)	ITEM 609 CURB TYPE 2-B	ITEM 609 CURB TYPE 6	ITEM 612 CONCRETE TRAFFIC ISLAND (4" DEPTH)	ITEM 202 EXISTING COMB. CURB & GUTTER & WEARING COURSE REMOVED AND DISPOSED OF	ITEM 202 EXISTING WEARING COURSE REMOVED AND DISPOSED OF	ITEM 202 EXISTING CURB REMOVED AND DISPOSED OF	ITEM 202 PORTIONS OF EXISTING INTEGRAL CONCRETE CURB REMOVED	ITEM 608 CONCRETE STEPS
LIBERTY ST. NORTH PARK PL. & LIBERTY ST. EXT.	13	58 C.Y.	144.3 S.Y.	22.2 C.Y.	5.5 C.Y.	11 C.Y.	19.7 C.Y.	144.3 S.Y.	78.8 GAL.	210.0 L.F.	—	—	94.0 L.F.	56.7 S.Y.	149.0 L.F.	—	66.0 L.F.
RICHMOND ST. & ERIE ST.	14	125	274.7	50.2	10.9	24	27.7	274.7	99.7	242.2	—	—	311.0	133.3	—	—	—
RICHMOND ST. & JACKSON ST.	14	58	140.6	26.0	5.5	11	17.4	140.6	62.7	141.6	—	—	187.0	34.1	—	—	—
RICHMOND ST. & NEBRASKA ST.	15	53	122.8	22.7	4.8	8	11.2	122.8	40.4	126.1	—	—	146.5	—	—	—	—
RICHMOND ST. & KERR ST.	15	54	121.1	22.4	4.6	8	11.5	121.1	41.6	126.3	—	—	125.1	—	25.0	—	—
RICHMOND ST. & AXTELL ST.	16	52	117.5	21.8	4.6	8	11.5	117.5	42.8	127.0	—	—	124.0	—	24.0	—	—
RICHMOND ST. & PROSPECT ST.	17	203	378.7	72.3	15.2	11	42.8	378.7	158.8	264.0	80.0 L.F.	40.0 S.Y.	16.6	48.9	120.0	187 L.F.	—
TOTALS :		603 C.Y.	1,299.7 S.Y.	237.6 C.Y.	51.1 C.Y.	81 C.Y.	141.8 C.Y.	1299.7	524.8	1237.2 L.F.	80.0 L.F.	40.0 S.Y.	1004.2	273.0 S.Y.	318.0 L.F.	187 L.F.	66.0 L.F.