





CONSTRUCTION CURVE DATA
P.I. STA. 158+70.40
Δ = 08°06'38"
D_c = 03°00'00"
R = 1909.86'
T = 135.40'
L = 270.35'
E = 4.79'

ITEM 253 - PAVEMENT REPAIR
(SEE DETAIL, SHEET 54)



NO.	DESCRIPTION	CU. YD.	SQ. YD.	LINEAL FT.	NO.	DESCRIPTION	CU. YD.	SQ. YD.	LINEAL FT.
203	EXCAVATION, NOT INCLUDING EMBANKMENT CONSTRUCTION				107				
253	PAVEMENT REPAIR				20				
254	1-1/4" PAVEMENT PLANING, BITUMINOUS		1100						
411	6" STABILIZED CRUSHED AGGREGATE		14.3		117				
203	SUBGRADE COMPACTION		300		600				
407	TACK COAT (0.10 GAL./SQ.YD.)		170		170				
304	4" AGGREGATE BASE		33.3		66.6				
301	7" BITUMINOUS AGGREGATE BASE, AC-20		56.3		112.6				
402	1-3/4" ASPHALT CONCRETE, AC-20		14.6		29.2				
403	0" MIN. ASPHALT CONCRETE, AC-20 (1/2" AVG.)		14.6		29.2				
404	1-1/4" ASPHALT CONCRETE, AC-20		59.0		118.0				
TOTALS			59.0		118.0				

FOR TYPICAL SECTIONS SEE SHEET 3
FOR BENCHMARKS SEE GENERAL NOTE SHEET 4
FOR CROSS-SECTIONS SEE SHEETS 41 THRU 43
FOR DRIVEWAY SCHEDULE & DETAILS SEE SHEET 53
FOR PAVEMENT DETAILS SEE SHEET 54
FOR TRAFFIC CONTROL DETAILS SEE SHEETS 55 THRU 57
FOR WATERWORK DETAILS SEE SHEET 58



DRAINAGE				
REF	LOCATION	LIN. FT.	EACH	EACH
D-1	STA. 158+07.5 21' LT. TO 158+07.5, 24' RT.	45	1	
D-2	STA. 159+90, 18.5' RT.			1
TOTALS		45	1	1

PLAN & PROFILE STA. 156+00 TO STA. 160+50