


EXTRA AREA DETAILS

SCALE : 1" = 20'

CURVE DATA

$R = 1403.91'$
 $T = 50.00'$
 $A = 4^{\circ} - 04' - 45''$
 $L = 99.95'$
 $D = 4^{\circ} - 04' - 52''$



S. R. 306

EXTRA AREA QUANTITIES

| LOCATION | SIDE | B-19 | I-22 | S-23 | T-71 | I-23 | SPECIAL |
|-------------------|------|--|----------|-------------|--|---|--------------------------|
| | | 6" AGGREGATE BASE COURSE FOR STABIL. SHOULDERS | SUBBASE | DOWEL HOLES | REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT | PRECAST WHITE CONCRETE TRAFFIC DIVIDERS | STANDARD EXPANSION BOLTS |
| | | CU. YDS. | CU. YDS. | EACH | SQ. YDS. | EACH | EACH |
| 40+50 to 45+51.50 | L. | 37 | 296 | 11 | 1479 | 35 | 11 |
| 40+50 to 45+51.50 | R. | 37 | 147 | 2 | 586 | | 2 |
| TOTALS | | 74 | 443 | 13 | 2065 | 35 | 13 |

LEGEND

- (A) STANDARD LONGITUDINAL JOINT
- (B) STANDARD KEY JOINT WITHOUT TIE BARS.
- (C) 2' EXPANSION JOINT WITHOUT DOWELS. (LOCATED ON RADIAL LINES)
- (D) EXPANSION JOINT WITHOUT DOWELS.
- (E) STANDARD TRANSVERSE CONTRACTION OR CONSTRUCTION JOINT.
- [Hatched Box] NEW REINFORCED PORTLAND CEMENT CONCRETE PAVEMENT.
- [Solid Box] AGGREGATE BERMS