

SUMMARY OF SOIL TEST DATA

NOTE: NP shown in Liquid Limit and Plasticity Index columns indicates that the material is non-plastic.
 *Denotes sample taken at or near grade.

STATION & OFFSET	DEPTH FROM-TO	S.P. 111 (Westbound Lanes)					L.L.	P.I.	W.C.	SHTL CLASS.	STATION & OFFSET	DEPTH FROM-TO	S.P. 111 (Cont'd)					L.L.	P.I.	W.C.	SHTL CLASS.	STATION & OFFSET	DEPTH FROM-TO	S.P. 111 (Cont'd)					L.L.	P.I.	W.C.	SHTL CLASS.							
		AGG.	C.S.	F.S.	SILT	CLAY							AGG.	C.S.	F.S.	SILT	CLAY							AGG.	C.S.	F.S.	SILT	CLAY					AGG.	C.S.	F.S.	SILT	CLAY	AGG.	C.S.
		GEAUGA COUNTY																																					
11+10	12'Lt	0.1-5.0	11	7	18	35	23	23	5	21	A-1a*																												
17+58	21'Lt	0.4-5.0	0	7	14	38	41	25	11	13	A-6a																												
19+20	17'Lt	0.8-3.0	6	7	13	30	33	35	13	18	A-6a																												
22+27	11'Lt	0.4-1.0	12	7	26	35	20	NP	NP	NP	A-1a																												
23+75	42'Pt	0.4-2.0	0	2	14	52	32	33	9	35	A-1b																												
23+75	142'Pt	0.8-3.0	7	11	10	7	5	NP	NP	NP	A-1-a																												
178+50	85'Pt	0.4-1.0	Black Fine-Textured Peat								250	Visual																											
179+50	CL	0.4-2.0	8	7	12	50	23	NP	NP	25	A-1b																												
181+65	CL	0.4-5.0	8	7	12	31	15	36	12	19	A-6a																												
182+50	CL	0.4-3.0	7	6	14	31	11	31	11	18	A-6a																												
183+15	CL	0.4-5.0	13	6	11	27	15	37	13	23	A-6a																												
185+35	CL	0.4-3.0	3	5	12	35	15	46	18	20	A-6b																												
186+63	CL	0.4-4.0	11	6	13	34	36	34	11	23	A-6a																												
187+80	75'Lt	0.4-3.0	5	5	32	37	21	NP	NP	23	A-1a																												
187+80	75'Pt	0.4-2.0	0	3	28	44	25	46	NP	43	A-5																												
191+00	100'Lt	0.4-2.0	Brown Broken Sandstone								23	Visual																											
191+00	60'Pt	0.3-3.0	Brown Broken Sandstone								10	Visual																											
193+50	110'Lt	0.4-5.0	9	6	12	37	36	31	11	20	A-6a																												
193+50	50'Lt	0.4-5.0	11	6	13	34	36	30	12	19	A-6a																												
193+50	CL	0.4-5.0	8	6	13	34	36	32	14	16	A-6a																												
195+50	100'Lt	0.4-5.0	12	5	11	35	37	27	11	20	A-6a																												
195+50	CL	0.4-5.0	16	6	11	33	34	28	11	14	A-6a																												
198+00	CL	0.4-5.0	17	8	12	32	31	25	11	14	A-6a																												
199+75	CL	0.4-2.0	71	6	11	8	4	NP	NP	23	A-1-a																												