


LAKE COUNTY
LAK-44-7.22


SUPERELEVATION TABLE

STATION	LT. EDGE	CL	RT. EDGE
46+26.76	578.91	579.10	578.91
+50	579.04	579.17	578.98
+75	579.22	579.29	579.10
47	579.46	579.47	579.28
+25	579.79	579.66	579.47
+50	580.13	579.86	579.59
+75	580.47	580.06	579.65
48	580.74	580.26	579.78
+25	580.90	580.42	579.94
+50	581.02	580.54	580.06
+75	581.08	580.60	580.12
49	581.01	580.60	580.19
+25	580.82	580.55	580.28
+48	580.59	580.45	580.31




Power Lines to be relocated or adjusted by others.

FOR INTERSECTION DETAILS
AND ELEVATIONS SEE SHEET 100



(P) PAVEMENT

REF. NO.	STATION	S I D E	I-9	I-18	I-22	I-71	E-8
			STONE U-DRAIN NO. 2	STAB. CR. AGGR.	SUBBASE	REINF. PORT. CEM. CONC. PAVT. 9"	PAVT. REMOVAL
			L.F.	C.Y.	C.Y.	S.Y.	S.Y.
I-P	46+00 TO 50+00		187	40	174	1045	830



EXCAVATION	=	315 C.Y.
EMBANKMENT	=	635 C.Y.
EMBANKMENT @ 20"	=	762 C.Y.