

STATE OF OHIO
DEPARTMENT OF HIGHWAYS

SUPPLEMENTAL SPECIFICATION NO. I-124
WATER MAINS AND SERVICE BRANCHES

Revised March 20, 1961

I-124.01	Description	I-124.09	Service Branches Lowered
I-124.02	Materials	I-124.10	Service Boxes Adjusted to
I-124.03	New Water Main		Grade
I-124.04	Water Main Removed and Relaid	I-124.11	Water Meters and Boxes
I-124.05	Water Main Lowered		Removed and Reset
I-124.06	Fire Hydrants Removed and Reset	I-124.12	Method of Measurement
I-124.07	New Service Branches	I-124.13	Basis of Payment
I-124.08	Service Stops and Boxes Removed		
	and Reset		

I-124.01 Description. This item shall consist of laying new water main including the furnishing of pipe, valves, boxes, fittings and fire hydrants; removing and relaying water main; lowering water main; removing and resetting fire hydrants; laying new service branches including furnishing and placing pipe, service stops and boxes; removing and resetting service stops and boxes; lowering service branches, including service stops and boxes; adjusting service boxes to grade; removing and resetting water meters and boxes. This item shall also include furnishing all materials, excavating and backfilling, constructing all necessary joints and connections, hydrostatic testing, disinfection, and disposal of all surplus excavation and discarded material which may be required to complete this item.

Workmanship shall be the highest quality and shall be in accordance with recommendations of the pertinent material manufacturers.

The Contractor shall notify the State of Ohio Department of Health before beginning any work under this specification except I-124.10 Service Boxes Adjusted to Grade.

I-124.02 Materials. ASA when used shall mean the American Standards Association, AMWA when used shall mean the American Water Works Association. Whenever ASA or AMWA standard specifications and serial designations are stipulated the reference shall be construed to be the specifications and serial designations as amended to date of advertisement for bids.

The Contractor shall furnish a sworn statement from the manufacturer that the inspection and all tests required for water main pipe and water main fittings have been made as specified. The sworn statement shall be accompanied by a transcript of all test results. Unless otherwise specified in the Plan or Proposal, the materials for the various items of construction shall be in accordance with the following specifications and designations: