

STATION TO STATION		SIDE	LENGTH L FEET	AVERAGE WIDTH W FEET	SURFACE AREA A A=L*W SQ. FT.	203	301	304	451	407	448	448	830	830				
						SUBGRADE COMPACTION SQ.YD.	BITUMINOUS AGGREGATE BASE PG64-22 CU.YD. 8"	AGGREGATE BASE, AS PER PLAN CU.YD. 6"	REINFORCED CONCRETE PAVEMENT SQ.YD. 9"	TACK COAT (0.04 GAL/SY) GAL.	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22, AS PER PLAN CU.YD. 1.25"	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-22 CU.YD. 1.75"	CURB, TYPE 2A LIN.FT.	CURB AND GUTTER LIN.FT.				
FROM	TO																	
CHILLICOTHE RD (615)																		
10+00.00	21+02.07	RT	1102.07	14	15428.98	1714.3	390	303		70.3	59.5	83.3						
10+00.00	19+11.75	LT	911.75	14	12764.5	1418.3	323	250		58.1	49.2	68.9						
19+11.75	19+36.75	LT	25	16	400	44.4	10	8		1.9	1.5	2.2						
19+36.75	21+02.07	LT	165.32	14	2314.48	257.2	59	45		10.6	8.9	12.5						
CHILLICOTHE RD																		
21+02.07	29+50.00	RT	847.93	14	11871.02	1319	300	233		54.1	45.8	64.1						
29+50.00	30+00.00	RT	50	13	650	72.2	16	13		3	2.5	3.5						
21+02.07	21+27.07	LT	25	16	400	44.4	10	8		1.9	1.5	2.2						
21+27.07	29+50.00	LT	822.93	14	11521.02	1280.1	291	226		52.5	44.4	62.2						
29+50.00	30+00.00	LT	50	13	650	72.2	16	13		3	2.5	3.5						
CENTER STREET (615)																		
INTERSECTION AREA		RT	BY CADD MEASURE		2183	242.6		40	243				78					
2+09.82	11+75.00	RT	965.18	14	13512.52	1501.4		274	1555				965					
INTERSECTION AREA		LT	BY CADD MEASURE		1505	1510		28	167				58					
1+52.50	2+90.00	LT	137.5	26	3575	397.2		70	405				138					
2+90.00	5+40.00	LT	250	20	5000	555.6		99	569				250					
5+40.00	11+75.00	LT	635	14	8890	987.8		180	1023				635					
BALDWIN																		
INTERSECTION AREA		RT	BY CADD MEASURE		519	57.7	13	10		2.3	2	2.8						
0+32.38	0+94.36	RT	61.98	12	743.76	104	19	16		4.3	2.9	4						
0+94.36	8+00.00	RT	705.64	12	8467.68	940.9	189	158		38.7	32.7	45.7						
8+00.00	9+00.00	RT	100	10.5	1050	116.7	27	22		4.9	4.0	5.7						
INTERSECTION AREA		LT	BY CADD MEASURE		1554	172.7	38	29		17.3	6	8.4						
0+67.83	0+89.42	LT	21.59	13.08	282.4	31.4	7	6		1.3	1.1	1.5						
0+89.42	8+00.00	LT	710.58	12	8527	947.4	216	169		39	32.9	46.1						
8+00.00	9+00.00	LT	100	10.5	1050	116.7	27	21		4.9	4.1	5.7						
KINGWOOD DRIVE																		
7+90.00	9+37.46	RT	147.46	12	1769.5	196.6	45	35		8.1	6.8	9.6	0					
INTERSECTION AREA		RT	BY CADD MEASURE		1296	144	32	24	144				82					
7+90.00	8+85.00	LT	95	12	1140	126.7	29	23		5.3	4.4	6.2						
8+85.00	9+37.46	LT	52.46	12	629.5	69.9	16	12		2.9	2.4	3.4		52.5				
INTERSECTION AREA		LT	BY CADD MEASURE		1087	120.8		20	121				80					
TOTALS						14562	2073	2335	4227	384.4	315.1	441.5	2286	52.5				

I:\PROJECTS\12790\dgn\12790gsc.dgn 08-NOV-2000 11:09AM jgrmovse

PAVEMENT SUB-SUMMARY	LAK-615-1.26
CALCULATED CHECKED	28 160