

TRAFFIC CONTROL GENERAL SUMMARY

REFERENCE	GENERAL NOTES	GENERAL NOTES	CENTER ST./ STATE RT. 2 WB RAMP	CENTER ST./ MARKET ST.	FAIRFAX DR./ MENTOR H.S.	C/MC CENTER BLVD./ CENTER ST.	CENTER ST./ MUNSON RD.	-	-	TOTAL	UNIT	ITEM EXT.	ITEM	DESCRIPTION	SHEET NO.
SHEET NO.	88	89	91	92	93	97	101	-	-						
		200								200	LIN.FT.	00406	603	4" CONDUIT, TYPE F	89
			17		1386	436	556			2395	LIN.FT.	25400	625	CONDUIT, 2", 713.04	
					174	261	190			625	LIN.FT.	25500	625	CONDUIT, 3", 713.04	
					100		88			188	LIN.FT.	25600	625	CONDUIT, 4", 713.04	
			17		1427	526	599			2569	LIN.FT.	29001	625	TRENCH, AS PER PLAN	89
					218	150	211			579	LIN.FT.	29601	625	TRENCH IN PAVED AREA, TYPE B, AS PER PLAN	89
					14	6	11			31	EACH	31600	625	PULLBOX, MISC.: 713.081, 13" X 24", AS PER PLAN	89
				1	1	1				3	EACH	31600	625	PULLBOX, MISC.: 713.081, 17" X 30", AS PER PLAN	89
					1		1			2	EACH	31600	625	PULLBOX, MISC.: 713.081, 24" X 36", AS PER PLAN	
					8	5	5			19	EACH	32000	625	GROUND ROD	
					1	6	7	4		18	EACH	79100	630	SIGN HANGER ASSEMBLY MAST ARM	
					10	40	73	40		163	SQ.FT.	80100	630	SIGN FLAT SHEET	
						2				2	EACH	97700	630	SIGNING MISC.: "END SCHOOL ZONE" SIGN, FIBER OPTIC BLANKOUT, AS PER PLAN	89
						2				2	EACH	10100	630	SIGN SUPPORT, TYPE TC-16.20, DESIGN 1	
							1			1	EACH	10200	630	SIGN SUPPORT, TYPE TC-16.20, DESIGN 2	
							1			1	EACH	11100	630	SIGN SUPPORT, TYPE TC-16.20, DESIGN 11	
						2				2	EACH	93001	631	SCHOOL SPEED LIMIT SIGN ASSEMBLY, R-12, 24" X 42"	
			1							1	EACH	90020	632	REMOVAL OF MISC. TRAFFIC SIG. ITEM: REMOVE EX. PED. SIG. HEAD & SEAL OPENING	
			1	1	1	1	1			5	LS	90300	632	SIGNALIZATION MISC.: REMOVAL OF TRAFFIC SIGNAL INSTALLATION, AS PER PLAN	89
					1					1	EACH	80101	632	SIGNAL SUPPORT, TYPE TC-81.20, DESIGN 1, AS PER PLAN	89
						1				1	EACH	80201	632	SIGNAL SUPPORT, TYPE TC-81.20, DESIGN 2, AS PER PLAN	89
					1	1	3			5	EACH	80401	632	SIGNAL SUPPORT, TYPE TC-81.20, DESIGN 4, AS PER PLAN	89
					1	2	1			4	EACH	80501	632	SIGNAL SUPPORT, TYPE TC-81.20, DESIGN 11, AS PER PLAN	89
							1			1	EACH	80601	632	SIGNAL SUPPORT, TYPE TC-81.20, DESIGN 12, AS PER PLAN	89
					1	6	5	4		16	EACH	72000	632	SIGNAL OR SIGN SUPPORT FOUNDATION	
					1	5	6	3		15	EACH	00303	632	VEHICULAR SIGNAL HEAD, 3 SECTION, 12" LENS, 1-WAY, POLYCARBONATE, A.P.P.	89
					1	3	5			9	EACH	00503	632	VEHICULAR SIGNAL HEAD, 5 SECTION, 12" LENS, 1-WAY, POLYCARBONATE, A.P.P.	89
					2	8	6	8		24	EACH	25000	632	COVERING OF VEHICULAR SIGNAL HEAD	
						1				1	EACH	90400	632	SIGNALIZATION, MISC.: PREEMPT DETECTOR	
						1				1	EACH	90400	632	SIGNALIZATION, MISC.: CONFIRMATION LIGHT	
					2	1	2			5	EACH	90400	632	SIGNALIZATION, MISC.: PREEMPT DETECTOR, TWO-WAY	
					2	1	2			5	EACH	90400	632	SIGNALIZATION, MISC.: CONFIRMATION LIGHT, TWO-WAY	
			1							1	EACH	90400	632	SIGNALIZATION, MISC.: PREEMPT DETECTOR (REMOVE EXIST. & ATTACH TO NEW POLE)	
			1							1	EACH	90400	632	SIGNALIZATION, MISC.: CONFIRMATION LIGHT (REMOVE EXIST. & ATTACH TO NEW POLE)	
			2	1	6	4	6			19	EACH	20600	632	PEDESTRIAN SIGNAL HEAD, TYPE D2	
			2	1	6	4	6			19	EACH	26001	632	PEDESTRIAN PUSHBUTTON, AS PER PLAN	89
			2		1	1				4	EACH	89600	632	8' PEDESTAL	
			2		1	1				4	EACH	64020	632	CONCRETE PEDESTAL FOUNDATION	
			3		9	4	12			28	EACH	26501	632	DETECTOR LOOP, AS PER PLAN	89
			1		9	4	12			26	EACH	27004	632	LOOP DETECTOR UNIT	
15										15	EACH	90400	632	SIGNALIZATION MISC.: TEMPORARY TRAFFIC CONTROL LOOP (5' X 5'), AS PER PLAN	88
			54	90	2944	1922	2714			7724	LIN.FT.	65300	632	DETECTOR LEAD-IN CABLE, 2 CONDUCTOR, NO. 14 AWG	
			152	42	991	787	1093			3065	LIN.FT.	42300	632	SIGNAL CABLE, 3 CONDUCTOR, #14 AWG	
			160	46	523	311	209			1249	LIN.FT.	42500	632	SIGNAL CABLE, 5 CONDUCTOR, NO. 14 AWG	
				106	1075	762	1351			3294	LIN.FT.	40700	632	SIGNAL CABLE, 7 CONDUCTOR, NO. 14 AWG	
				90	928	444	602			2064	LIN.FT.	43300	632	SIGNAL CABLE MISC.: PREEMPT CABLE, 4C #18 AWG, AS PER PLAN	89
					1359					1359	LIN.FT.	43300	632	SIGNAL CABLE MISC.: 5 CONDUCTOR, NO. 8 AWG	
					59	57	61			177	LIN.FT.	68300	632	POWER CABLE, 3 CONDUCTOR, NO. 6 AWG	
	1342				1256	114	61			2773	LIN.FT.	62802	632	INTERCONNECT CABLE- 6-PR, #19 AWG	
		1								1	EACH	62820	632	INTERCONNECT MISC.: RELOCATE & RECONNECT INTERCONNECT, AS PER PLAN	89
					2	2	2			6	EACH	70400	632	CONDUIT RISER, 2" DIAMETER	
					1	1	1			3	EACH	70000	632	POWER SERVICE	
					12	12	12			36	SQ.FT.	70500	633	CONTROLLER WORK PAD	
					1.9	1.9	1.9			5.7	CU.YD.	70000	633	CONCRETE CONTROLLER FOUNDATION	
					1	1	1			3	EACH	38001	633	CONTROLLER, ACTUATED, 8 PHASE, SOLID STATE DIGITAL MICROPROCESSOR, PEEK 3000, A.P.P.	89
					1	1	1			3	EACH	64000	633	PREEMPTION	

COPYRIGHT - DATE: 08-03-99, CT CONSULTANTS INC. H:\1998\1999\TRAFFIC\REVISIONS.DWG PLOT11020

**CENTER STREET (STATE ROUTE 615)
ROADWAY IMPROVEMENTS
GENERAL SUMMARY
QUANTITIES**

CT Consultants, Inc.
Engineers • Architects • Planners
Wilmington • Mentor • Columbus • North Canton • Youngstown

DATE: AUGUST 03, 1999
 DRAWN BY: T.E.B.
 CHECKED BY: A.E.P.
 APPROVED BY: I.M.H.
 SCALE:
 HOR: NONE
 VERT: NONE
 CONTRACT NO.:
98387
 SHEET NO. OF
90 103