

| ITEM | SHEET NUMBER | | | | | | | | | | | | | | | | | ITEM | ITEM EXT. | TOTAL | UNIT | DESCRIPTION | AS PER PLAN DESIGNATION OR SPECIAL | | | | | | | | | | | | | | | | | | | | |
|---------|--------------|----|----|----|----|----|----|----|----|----|----|----|----|--|--|--|---------|-----------|-----------|---------|---|----------------------|------------------------------------|--|--|---------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 18 | 19 | 20 | 44 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 604 | | | | | | | | | | | | | | | | | | 604 | 36600 | 14 | EACH | DRAINAGE (CONTINUED) | | | | | | | | | | | | | | | | | | | | | |
| SPECIAL | | | | | | | | | | | | | | | | | SPECIAL | 604E50000 | 1000 | POUND | PRECAST REINFORCED CONCRETE OUTLET | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | MISCELLANEOUS METAL | | | | | 18 | | | | | | | | | | | | | | | | | |
| 605 | | | | | | | | | | | | | | | | | 605 | 11110 | 26,236 | LIN.FT. | 6" SHALLOW PIPE UNDERDRAIN W/FABRIC WRAP | | | | | | | | | | | | | | | | | | | | | | |
| 605 | | | | | | | | | | | | | | | | | 605 | 13410 | 395 | LIN.FT. | 6" UNCLASSIFIED PIPE UNDERDRAIN W/FABRIC WRAP | | | | | | | | | | | | | | | | | | | | | | |
| 605 | | | | | | | | | | | | | | | | | 605 | 31100 | 574 | LIN.FT. | AGGREGATE DRAIN | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | SANTARY | | | | | | | | | | | | | | | | | | | | | | |
| 604 | | | | | | | | | | | | | | | | | 604 | 34501 | 1 | EACH | MANHOLE ADJUSTED TO GRADE, AS PER PLAN | | | | | 18 | | | | | | | | | | | | | | | | | |
| 604 | | | | | | | | | | | | | | | | | 604 | 37000 | 2 | EACH | INSPECTION WELL | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | PAVEMENT | | | | | | | | | | | | | | | | | | | | | | |
| 254 | | | | | | | | | | | | | | | | | 254 | 01000 | 4348 | SQ.YD. | PAVEMENT PLANING, BITUMINOUS | | | | | | | | | | | | | | | | | | | | | | |
| 301 | | | | | | | | | | | | | | | | | 301 | 46000 | 1335 | CU.YD. | BITUMINOUS AGGREGATE BASE, PG64-22 | | | | | | | | | | | | | | | | | | | | | | |
| 304 | | | | | | | | | | | | | | | | | 304 | 20001 | 11,597 | CU.YD. | AGGREGATE BASE, AS PER PLAN | | | | | 19 | | | | | | | | | | | | | | | | | |
| 304 | | | | | | | | | | | | | | | | | 304 | 20001 | 22,500 | CU.YD. | AGGREGATE BASE, AS PER PLAN, TYPE 1 | | | | | 19 | | | | | | | | | | | | | | | | | |
| 305 | | | | | | | | | | | | | | | | | 305 | 14000 | 12,940 | SQ.YD. | 10" CONCRETE BASE | | | | | | | | | | | | | | | | | | | | | | |
| 407 | | | | | | | | | | | | | | | | | 407 | 10000 | 1953 | GAL. | TACK COAT | | | | | | | | | | | | | | | | | | | | | | |
| 407 | | | | | | | | | | | | | | | | | 407 | 14000 | 83 | GAL. | TACK COAT FOR INTERMEDIATE COURSE | | | | | | | | | | | | | | | | | | | | | | |
| 408 | | | | | | | | | | | | | | | | | 408 | 10000 | 360 | GAL. | BITUMINOUS PRIME COAT | | | | | | | | | | | | | | | | | | | | | | |
| 411 | | | | | | | | | | | | | | | | | 411 | 10000 | 22 | CU.YD. | STABILIZED CRUSHED AGGREGATE | | | | | | | | | | | | | | | | | | | | | | |
| 446 | | | | | | | | | | | | | | | | | 446 | 46050 | 837 | CU.YD. | ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG64-22 | | | | | | | | | | | | | | | | | | | | | | |
| 446 | | | | | | | | | | | | | | | | | 446 | 50001 | 968 | CU.YD. | ASPHALT CONCRETE SURFACE COURSE, TYPE 1H, AS PER PLAN | | | | | 19 | | | | | | | | | | | | | | | | | |
| 448 | | | | | | | | | | | | | | | | | 448 | 46060 | 215 | CU.YD. | ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 1, PG64-22 (UNDER GUARDRAIL) | | | | | | | | | | | | | | | | | | | | | | |
| 448 | | | | | | | | | | | | | | | | | 448 | 48020 | 121 | CU.YD. | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG64-22 (DRIVEWAYS) | | | | | | | | | | | | | | | | | | | | | | |
| 451 | | | | | | | | | | | | | | | | | 451 | 14000 | 48,281 | SQ.YD. | 9" REINFORCED CONCRETE PAVEMENT | | | | | | | | | | | | | | | | | | | | | | |
| SPECIAL | | | | | | | | | | | | | | | | | SPECIAL | 451E30000 | 82 | LIN.FT. | PRESSURE RELIEF JOINT, TYPE A | | | | | | | | | | | | | | | | | | | | | | |
| 452 | | | | | | | | | | | | | | | | | 452 | 10000 | 225 | SQ.YD. | 6" PLAIN CONCRETE PAVEMENT | | | | | | | | | | | | | | | | | | | | | | |
| 452 | | | | | | | | | | | | | | | | | 452 | 12000 | 34 | SQ.YD. | 8" PLAIN CONCRETE PAVEMENT | | | | | | | | | | | | | | | | | | | | | | |
| 611 | | | | | | | | | | | | | | | | | 611 | 25001 | 241 | SQ.YD. | REINFORCED CONCRETE APPROACH SLAB, (T=15"), AS PER PLAN | | | | | (39/41) | | | | | | | | | | | | | | | | | |
| 830 | | | | | | | | | | | | | | | | | 830 | 14000 | 17,465 | LIN.FT. | CURB, TYPE 2-A | | | | | | | | | | | | | | | | | | | | | | |
| 830 | | | | | | | | | | | | | | | | | 830 | 26000 | 192 | LIN.FT. | CURB, TYPE 6 | | | | | | | | | | | | | | | | | | | | | | |

GENERAL SUMMARY

LAK - IR90/SR615 - 9.26/1.51

CALCULATED
J.C.C.
CHECKED
J.M.P.

H:\CT\97\25\S\SK\9725GS1.DWG PLOT: 1-20