

ITEM 863 – STRUCTURAL STEEL MEMBERS, MISCELLANEOUS LEVEL FABRICATION, A709, GRADE 36, AS PER PLAN

SURFACE PREPARATION, SHOP PAINTING AND FIELD TOUCH-UP PAINTING OF CURB PLATES SHALL BE IN ACCORDANCE WITH ITEM SPECIAL – FIELD PAINTING, MISC.: SHOP PAINTING AND FIELD TOUCH-UP OF STRUCTURAL STEEL. THE FINISH COAT SHALL MATCH FEDERAL COLOR STANDARD 595B-25630. SHOP PAINTING ALL CURB PLATES SHALL BE INCLUDED IN THE UNIT PRICE BID PER POUND FOR ITEM 863 – STRUCTURAL STEEL MEMBERS, MISCELLANEOUS LEVEL FABRICATION, A709, GRADE 36, AS PER PLAN. NO ADDITIONAL COMPENSATION SHALL BE MADE FOR FIELD TOUCH-UP PAINTING WHERE DIRECTED BY THE ENGINEER.

APPROACH SLAB REPLACEMENT


ALL MATERIALS (INCLUDING BUT NOT LIMITED TO CLASS S CONCRETE, REINFORCING STEEL, AND DOWELS) AND LABOR REQUIRED FOR REPLACEMENT OF APPROACH SLABS AS INDICATED ON SHEETS OF THE BRIDGE PLANS, SHALL BE INCLUDED FOR PAYMENT IN PRICE BID PER SQUARE YARD FOR ITEM 611 IN THE ROADWAY PLANS.

SLOPE UNDER BRIDGE DECK ENDS

THE SLOPES UNDER THE BRIDGE END SPANS SHALL BE RE-GRADED TO ACHIEVE THE TOP OF SLOPE ELEVATIONS SHOWN ON THE SITE PLAN, SHEET 1/41. EXISTING CRUSHED AGGREGATE SLOPE PROTECTION MAY BE USED IN FILL AREAS. EXCAVATION AND/OR EMBANKMENT NEEDED TO ESTABLISH THE FINISHED SLOPE SHALL BE PAID UNDER ITEM 203 – EMBANKMENT.

THE RE-GRADED SLOPES SHALL BE COVERED WITH 2" (MINIMUM) TOPSOIL; PAYMENT SHALL BE UNDER ITEM 870 – PLACING TOPSOIL. THE TOPSOIL SHALL BE SEEDDED WITH 3C CROWN VETCH MIXTURE; PAYMENT SHALL BE UNDER ITEM 870 – SEEDING AND MULCHING.

ESTIMATED QUANTITIES FOR THIS WORK HAVE BEEN CARRIED TO THE GENERAL SUMMARY SHEETS.



REVIEWED
J.E.A.
DATE
10/26/01
STRUCTURE FILE NUMBER
4304055

DRAWN
R.L.B.
REVIEWED

DESIGNED
J.P.R.
CHECKED
I.A.S.

GENERAL NOTES
BRIDGE NUMBER LAK-90-0945
S.R. 615 OVER INTERSTATE 90

LAK-IR90/SR615-
9.26/1.51

5 / 41

332
393