



Project ID 142-75126-1

Sampler: Type SS Dia. 2.0"

Date Started 11-3-97

Casing: Length 5.0' Dia. 3.25"

Date Completed 11-3-97

Water Encountered None

Boring No. TB-1

Water on Completion None

Station & Offset 27+88, 2.9' Lt.

Surface Elevation EL. 801.26

Elev. (ft)	Std. Pen. Test	Description	Depth (ft)	SAMP. #	X App.	X C.S.	X F.S.	X SILT	X CLAY	LL	P.I.	W.C.	ODOT Class
		*		AU-1								16	
9-5-6		Firm to Stiff, Moist to Wet, Gray/Brown, SILT, Little Sand & Rock Frags.	5	SS-2								14	
4-6-5				SS-3								17	
4-4-6				10	SS-4							23	
7-7-9				15	SS-5							20	
5-5-9				20	SS-6							23	A-4b
5-9-14				25	SS-7							13	
18-10-7				30	SS-8							20	
11-12-13				35	SS-9							16	
8-11-11			V/Stiff, Moist, Gray, SILT, Some Sand, Little Rock Frags.	40	SS-10							13	
			45	ST-11							17		A-4b
4-6-8		Stiff, Moist, Gray, SILT & Clay.	50	SS-12	2	4	6	48	40	24	11	16	A-6a
4-5-7			55	SS-12								18	
5-11-11		V/Stiff, Wet, Gray, SILT, Trace Clay.	60	SS-14								24	A-4b
5-7-7		Stiff, Wet, Gray, SILT & Clay.	65	SS-15								27	A-6a
33-50/4.0"		V/Dense, Damp, Gray/Brown, GRAVEL and/or Stone Frags. W/ Sand.	70	SS-16								5	A-1-b
16-35-38		Hard, Wet, Gray, Coarse & Fine SAND.	75	SS-17								21	A-3a
33-50/5.0"				SS-18								19	