



Project ID 142-75126-1

Sampler: Type SS Dia. 2.0"

Date Started 10-29-97

Casing: Length 5.0' Dia. 3.25"

Date Completed 10-30-97

Water Encountered None

Boring No. TB-3

Water on Completion None

Station & Offset 29+31, 21.4' Rt.

Surface Elevation EL. 781.43

Elev. (ft)	Std. pen. Test	Description	Depth (ft)	SAMP. #	X Agg.	X C.S.	X F.S.	X SILT	X CLAY	LL	P.I.	W.C.	ODOT Class
	1-1-2	*		SS-1								40	A-4b
	2-3-5	Firm, Wet, Brown, SILT, Trace Sand & Organics.		SS-2								22	(Fill)
	2-3-5	Firm, Wet, Brown, SILT, Trace Sand & Clay.	5	SS-3								26	A-4b
	5-7-9	V/Stiff, Moist, Gray, SILT, Trace Sand & Clay.	10	SS-4								19	
	5-7-9		15	SS-5								18	A-4b
	8-9-13	V/Stiff, Moist, Gray, SILT & Clay.	20	SS-6								19	A-6a
	5-8-12	V/Stiff, Moist, Gray, SILT, Little Sand, Trace Clay.	25	SS-7								15	A-4b
	6-8-10	V/Stiff to Hard, Moist, Gray, SILT, Some Clay.	30	SS-8								17	A-4b
	9-15-23	EL. 744	35	SS-9	0	1	3	56	40	24	9	20	
	25-50/4.0"	Hard, Moist, Gray, SILT, Trace Sand & Clay.	40	SS-10								18	A-4b
	21-23-45	V/Dense, Damp, Gray/Brown, Fine SAND.	45	SS-11								5	
	17-20-33		50	SS-12								7	A-3
	31-40-37	Hard, Moist, Gray, SILT, Little Sand.	55	SS-13								14	A-4b
	50/5.5"	Hard, Wet, Gray, Coarse & Fine SAND, Some Silt.		SS-14								20	A-3a
		End of Boring - 58.96'	60										
		*19.0" Topsoil	65										
			70										
			75										