



Project ID 142-75126-1

Sampler: Type SS Dia. 2.0"

Date Started 10-24-97

Casing: Length 5.0' Dia. 3.25"

Date Completed 10-24-97

Water Encountered None

Boring No. IB-4

Water on Completion None

Station & Offset 30+02, 22.5' Rt.

Surface Elevation EL. 783.58

Elev. (ft)	Std. Pen. Test	Description	Depth (ft)	SAMP. #	% Arg.	% C.S.	% F.S.	% SILT	% CLAY	LL	P.I.	W.C.	ODOT Class
3-15-15		**		SS-1									
12-9-8		Med. Dense, Damp, Brown, GRAVEL and/or Stone Frags. W/Sand.	5	SS-2								4	A-4b (Fill)
2-4-4		Firm, Moist, Brown, SILT, Little Sand.	10	SS-3								6	A-1-b (Fill)
5-7-8			15	SS-4								18	
4-5-6			20	SS-5								16	A-4b
4-6-7		Stiff, Moist, Gray, SILT, Little Sand, Trace Clay.	25	SS-6								14	
4-5-6		Stiff, Moist, Gray, SILT, Trace Rock Frags. & Clay.	30	SS-7								15	A-4b
5-5-7		Stiff, Moist, Gray, SILT & Clay.	35	SS-8								12	A-4b
5-7-9		V/Stiff, Moist, Gray, SILY, Trace Clay.	40	SS-9								17	A-6a
5-14-13		EL. 741.	45	SS-10								17	A-4b
15-27-27		V/Dense, Damp, Gray/Brown, Fine SAND.	50	SS-11								21	
27-50		EL. 736 V/Dense, Damp, Gray/Brown, GRAVEL and/or Stone Frags. W/ Sand.	55	SS-12	48	32	12	8	0	--	--	4	A-3
20-24-12		Dense, Moist, Gray/Brown, Fine SAND.	60	SS-13								4	A-1-b
50/5.0"		Hard, Moist, Gray, Coarse & FINE SAND.	65	SS-14								15	A-3
		End of Boring - 58.92'	70									15	A-3a
		*4.0" Topsoil	75										
		**V/Stiff, Damp, Tan, SILT, Little Sand & Rock Frags., Trace Organics											