


*NOTE: PROPOSED CURB REVEAL SHALL BE 150mm.

NORMAL SECTION - S.R. 640

STA. 2+827.154 TO STA. 2+840.000	= 12.846 m
* STA. 2+840.000 TO STA. 2+890.000	= 50.000 m
** STA. 2+890.000 TO STA. 3+520.000	= 630.000 m
*** STA. 3+520.000 TO STA. 3+539.400	= 19.400 m
	712.246 m

LEGEND

- (1) ITEM 448 - 32 mm ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG. 64-22
- (2) ITEM 448 - 45 mm ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG. 64-22
- (3) ITEM 305 - 230 mm CONCRETE BASE
- (4) ITEM 304 - 150 mm AGGREGATE BASE, AS PER PLAN
- (5) ITEM 830 - CURB, TYPE 2-B
- (6) ITEM 608 - 100 mm CONCRETE WALK
- (7) ITEM 407 - TACK COAT
- (8) ITEM 203 - SUBGRADE COMPACTION (FOR AREA 1.8 m OR GREATER IN WIDTH)
- (9) ITEM 605 - 150 mm SHALLOW PIPE UNDERDRAIN WITH FABRIC WRAP
- (10) ITEM 660 - SODDING UNSTAKED
- (11) ITEM 608 - 100 mm CONCRETE WALK, AS PER PLAN
- (12) ITEM 254 - 32 mm PAVEMENT PLANNING, BITUMINOUS
- (13) ITEM 301 - 220 mm BITUMINOUS AGGREGATE BASE, PG 64-22
- (14) ITEM 304 - 150 mm AGGREGATE BASE, AS PER PLAN (S.R. 91)
- (15) ITEM 408 - PRIME COAT
- (16) ITEM 830 - CURB, TYPE 6
- (17) ITEM 407 - TACK COAT FOR INTERMEDIATE COURSE
- (18) ITEM 301 - 118 mm BITUMINOUS AGGREGATE BASE
- (19) ITEM 304 - 600 mm AGGREGATE BASE, AS PER PLAN
- (20) ITEM 203 - LINEAR GRADING
- (21) ITEM 870 - TOPSOIL FURNISHED AND PLACED, AS PER PLAN
- (22) ITEM 255 - FULL DEPTH PAVEMENT SAWING
- (L) STANDARD LONGITUDINAL PAVEMENT JOINT
- (S) STANDARD LONGITUDINAL PAVEMENT JOINT WITHOUT TIE BARS



TYPICAL DETAIL - SOFT SUBGRADE - 600 mm UNDERCUT
(ALL WORK SHALL BE AS DIRECTED BY THE ENGINEER)

*NOTE: THE COST OF FURNISHING AND PLACING CLASS C CONCRETE CAP SHALL BE CONSIDERED TO BE INCIDENTAL TO THE COST OF THE ITEM 304 - 600 mm AGGREGATE BASE, AS PER PLAN CONTINGENCY ITEM.