



SEE SHEET 171 FOR SKIFF ROAD EXTRA AREA
 SEE SHEET 173 FOR PATT COURT EXTRA AREA
 SEE SHEET 88 FOR ESTIMATED DRAINAGE QUANTITIES
 SEE SHEETS 104 FOR 900 mm STORM SEWER
 SEE SHEET 60 FOR STORM CONNECTIONS
 SEE SHEET 200 FOR WATERWORK QUANTITIES
 SEE SHEETS 128, 182 FOR CATCH BASIN CROSSOVER PROFILES
 SEE SHEET 200 FOR UTILITY RELOCATION
 SEE SHEET 186 FOR TYPE A MANHOLE DETAILS
 SEE SHEET 61 FOR DRIVE PROFILES

LEGEND

- W --- EX. WATER LINE
- SAN --- EX. SANITARY LINE
- G --- EX. GAS LINE
- S --- EX. STORM LINE
- T --- EX. TELEPHONE LINE

BENCH MARK: ELEV. 194.676
 STA. 4+846.36, OFFSET 8.58 m RT.
 HYDRANT
 TOP STEM

(*) 707.41 NON-PERFORATED,
 ASTM D-3034 SDR 35,
 707.33 OR 707.42

REFERENCE NUMBER		STATION		UNDERDRAINS		BENDS AND BRANCHES FOR INFORMATION ONLY
				603	605	
		FROM	TO	150 mm CONDUIT, TYPE F (*)	150 mm SHALLOW PIPE UNDERDRAIN WITH FABRIC WRAP	150 mm x 45'
		ELEV.	ELEV.	METER	METER	EACH
U1		4+800.0	4+818.0		18.0	
		191.995	192.275			
U2		4+819.5	4+855.50	3	34.2	1
		192.295	192.540			
U3		4+861.5	4+871	3	8.5	1
		192.515	192.680			
U4		4+871.0	4+900	3	26.0	
		192.515	192.895			
U5		4+800	4+804.4		8.2	
		191.995	192.035			
U7		4+808.2	4+805.8	3	16.4	1
		191.975	192.615			
U8		4+817.7	4+819.5	3	15.7	1
		192.655	192.075			
U9		4+819.5	4+847.50	3	28.6	1
		192.075	192.580			
U10		4+849	4+900.0	3	48.0	1
		192.600	192.895			
TOTALS CARRIED TO SHEET 88				21	203.6	7

PLAN AND PROFILE SHEET
 STA. 4+800 TO STA. 4+900 S.R. 640
 LAK-640-3.444
 87
 214