



**LEGEND**

- (C) CONTRACTION JOINT AS PER B.P.-2.2M
- (L) LONGITUDINAL JOINT AS PER B.P.-2.1M
- (S) LONGITUDINAL JOINT AS PER B.P.-2.1M WITHOUT TIE BARS
- (E) EXPANSION JOINT AS PER B.P.-2.2M
- (W) EXPANSION JOINT AS PER B.P.-2.2M WITHOUT TIE BARS
- (Y) BUTT JOINT, TYPE Y, AS PER B.P.-2.5M

**CURVE DATA TO FACE OF CURB**

① ⑥	② ⑤	③ ④
$\Delta = 12^{\circ}50'19''$	$\Delta = 56^{\circ}47'50''$	$\Delta = 20^{\circ}21'51''$
$R = 36.000m$	$R = 12.000m$	$R = 60.000m$
$T = 4.050m$	$T = 6.488m$	$T = 10.776m$
$L = 8.067m$	$L = 11.896m$	$L = 21.325m$
$C = 8.050m$	$C = 11.414m$	$C = 21.213m$
$E = 0.227m$	$E = 1.642m$	$E = 0.960m$

660	SODDING, UNSTAKED AS PER PLAN	S.M.	34.9
830	CURB TYPE, 2A	m	82.58
451	230 mm REINFORCED CONCRETE PAVEMENT	S.M.	794.69
304	150 mm AGGREGATE BASE AS PER PLAN	C.M.	119.20
255	FULL DEPTH PAVEMENT SAWING	m	4.90
608	CURB RAMP TYPE 2	EA.	2
608	100 mm CONC. WALK	S.M.	34.51
203	SUBGRADE COMPACTION	S.M.	794.69
203	EMBANKMENT	C.M.	6.0
203	EXCAVATION, NOT INCLUDING EMBANKMENT CONSTRUCTION	C.M.	45.1
202	PAVEMENT REMOVED	S.M.	763.88

