


660	SODDING, UNSTAKED, AS PER PLAN	S.M.	0
830	CURB TYPE, 2B	m	45.68
830	CURB TYPE, 2A	m	15.81
608	100 mm CONCRETE WALK	S.M.	90.7
608	CURB RAMP TYPE 1	EA.	2
451	230 mm REINFORCED CONCRETE PAVEMENT	S.M.	204.79
407	TACK COAT	L	106.90
448	ASPHALT CONCRETE, SURFACE COURSE, TYPE 1, PG 64-22	C.M.	7.60
448	ASPHALT CONCRETE, INTERMEDIATE COURSE, TYPE 1, PG 64-22	C.M.	10.25
305	150 mm CONCRETE BASE	S.M.	227.75
304	150 mm AGGREGATE BASE AS PER PLAN	C.M.	64.88
255	FULL DEPTH PAVEMENT SAWING	m	9.81
254	BITUMINOUS PLANING	S.M.	9.81
203	SUBGRADE COMPACTION	S.M.	432.54
203	EMBANKMENT	C.M.	2.5
203	EXCAVATION, NOT INCLUDING EMBANKMENT CONSTRUCTION	C.M.	30.2
202	PAVEMENT REMOVED	S.M.	528.25



PROPOSED PROFILE CLARK ST.

EXTRA AREA SHEET
CLARK STREET

LAK-640-3.444

178
214