



FRAMING PLAN



EXIST. BEAM ELEVATION



STUD SHEAR CONNECTOR LAYOUT
(BEAMS B, C, D)
(NO STUDS BEAMS A, E)

NOTE:
WELDING OF STUD SHEAR CONNECTIONS TO BE IN ACCORDANCE WITH SS 863

NOTES:
WELDING OF ATTACHMENTS FOR SUPPORTS OF THE CONCRETE DECK FINISHING MACHINE TO THE TOP FLANGE IS NOT PERMITTED, EVEN IN COMPRESSION AREAS. THE CONTRACTOR MAY SHOOT SHEAR CONNECTORS AT LOCATIONS OF NECESSARY SUPPORT AT ANY LOCATION ALONG THE CENTERLINE OF A FLANGE, INCLUDING TENSION AREAS AND THE FASCIA BEAMS. THE CONTRACTOR MAY THEN WELD ATTACHMENTS FOR SUPPORTS OF THE CONCRETE DECK FINISHING MACHINE TO THE SHEAR CONNECTORS.

WELDED SHEAR CONNECTORS SHALL NOT BE PLACED WITHIN 2" OF ENDS OF MOMENT COVER PLATES.

Michael Benza & Associates, Inc.
Consulting Engineers and Surveyors

DATE: 12/31/01
REVIEWED: JNS
DRAWN: AMH
DESIGNED: TEN
CHECKED: TJW

STRUCTURE FILE NUMBER: 4303458

FRAMING PLAN AND BEAM ELEVATION
LAK-90-0171
ROCKEFELLER RD. OVER I-90

LAK-90-1.71

9 / 13

25
29