


MICROFILMED  
JUN 27 1986

LAKE COUNTY  
LAK-I-1038

CURVE DATA  
P.I. Sta. 30+19.43  
Δ = 12° 52' 30" Lt.  
D = 1° 30"  
R = 3819.72'  
L = 858.33'  
T = 430.98'  
E = 24.23'

Sta. 30+00.00 Survey @ King Memorial Rd. =  
Sta. 200+01.00 @ S. R. I.



CURVE DATA  
P.I. Sta. 206+88.93  
Δ = 33° 09' 30" Lt.  
D = 0° 28' 00" Lt.  
R = 12277.7'  
L = 7105.36'  
T = 3655.27'  
E = 532.51'

FOR DETAILS OF STRUCTURE  
SEE SHEET NO. 274

SUPERELEVATION TABULATION

STATION	LT. EDGE (8')	CENTERLINE (8')	RT. EDGE (8')
25+00	868.35	868.48	868.35
+25	868.18	868.31	868.20
+50	868.08	868.22	868.17
+75	868.01	868.14	868.17
+26+00	867.91	868.07	868.23
+25	867.79	867.99	868.19
+50	867.72	867.92	868.12
+75	867.64	867.84	868.04
+27+00	867.57	867.77	867.97
+25	867.49	867.69	867.89
+50	867.42	867.62	867.82
+75	867.34	867.54	867.74
+28+00	867.27	867.47	867.67
+25	867.16	867.36	867.56
+50	867.00	867.20	867.40
+75	866.77	866.97	867.17
+29+00	866.49	866.69	866.89
+25	866.15	866.35	866.55
+50	865.75	865.95	866.15
+75	865.29	865.49	865.69
+30+00	864.77	864.97	865.17
+25	864.19	864.39	864.59
+50	863.55	863.75	863.95
+75	862.85	863.05	863.25
+31+00	862.09	862.29	862.49
+25	861.28	861.48	861.68
+50	860.40	860.60	860.80
+75	859.47	859.67	859.87
+32+00	858.47	858.67	858.87
+25	857.42	857.62	857.82
+50	856.30	856.50	856.70
+75	855.13	855.33	855.53
+33+00	853.89	854.09	854.29
+25	852.60	852.80	853.00
+50	851.25	851.45	851.65
+75	849.84	850.04	850.24
+34+00	848.77	848.97	849.17
+25	846.87	847.07	847.27
+50	845.55	845.75	845.95
+75	844.05	844.25	844.45
+35+00	842.55	842.75	842.95
+25	841.05	841.25	841.45

(P) PAVEMENT

REF. NO.	STATION	ROAD MIX BIT. MATL.	SEAL COAT BIT. MATL.	#46 AGGR. FOR ROAD MIX	#6 AGGR. FOR ROAD CHOKE	#6 AGGR. FOR SEAL COAT	T-30 BIT. PRIME COAT	B-19 5" AGGR. BASE COURSE	I-22 4" SUB-BASE	I-7 REIN. CONC. SLABS (1-13')	E-1 COMP. SUB-GRADE	I-9 STONE UNDER DRAIN
I-P	25+00	818	227	51	4	7	364	134	8	69	909	135
2-P	27+57.37	818	227	51	4	7	364	134	8	69	909	135
3-P	32+19.09	818	227	51	4	7	364	134	8	69	909	135
TOTALS		818	227	51	4	7	364	134	8	69	909	135


(D) DRAINAGE

REF. NO.	STATION	SODDING	SIDE SODDING	L-10 SODDING FOR SIDE SLOPE
I-D	25+00	153	RT.	68
2-D	27+30	153	LT.	68
3-D	34+50	22	RT.	22

(R) ROADWAY

REF. NO.	STATION	TO	FROM	T-15 GUARD RAIL WIRE CABLE TYPE (3 CABLES)
I-R	27+20	27+68	LT.	48
2-R	27+14	27+62	RT.	48
3-R	32+35	34+91	LT.	256
4-R	32+24	34+96	RT.	272
TOTAL				624

Excavation	=	576 C.Y.
Embankment	=	9,808 C.Y.
Expansion	=	11,573 C.Y.



Sta. 30+02.80 Constr. @ King Memorial Rd. =  
Sta. 199+91.33 @ S. R. I.

EQUATION  
Sta. 34+46.78 Constr. @ Bk. =  
Sta. 34+48.56 Survey @ Bk. =