

GENERAL NOTES - STRUCTURES

ITEM SPECIAL - SHOP PAINTING AND FIELD TOUCHUP OF STRUCTURAL STEEL (CONT.)

that existing before such damage or injury was done.

POLLUTION CONTROL

The Contractor shall take all necessary precautions to comply with pollution control laws, rules or regulations of Federal, State or local agencies.

WORK LIMITATIONS

Abrasive blasting and painting done in the field shall be performed between April 15 and October 15. Even though the Contractor is permitted to work prior to May 1, April is considered a winter month and no extension due to adverse weather conditions will be granted for this period. Additional work limitations on specific bridges/projects may be required by plan note.

METHOD OF MEASUREMENT

The method of measurements shall be according to the pertinent of 513, 514 and 516 of the current Constructions and Materials Specifications.

COLOR OF FINISH COAT

Finish coat shall be blue matching FEDERAL COLOR STANDARD NO. FS-595A-15450.

METHOD OF PAYMENT

The area of the top of the top flange which shall receive the prime coat only shall not be included in the measurement for the pay item.

The cost of the above including labor, material, equipment and incidentals shall be included in the unit price bid for each item as listed below.

Payment for this item shall include all labor, surface preparation, materials, inspection and equipment to shop apply a prime, intermediate and finish paint coat at the item 863 structural steel fabricator's shop facilities. Also included in this item is all required field site surface preparation, cleaning, painting and/or repair of damaged shop paint caused during shipping, erection or construction procedures.

The cost of the surface preparation and prime coat to the top of the top flange shall be included as an incidental for payment under Shop Painting and Field Touch-Up of Structural Steel.

Shop painting per 513.222 shall not be included with the price bid for structural steel but shall be included with Item Special, Shop Painting and Field Touch-Up of Structural Steel for payment.

ITEM	UNIT	DESCRIPTION
<u>Special</u>	lbs.	Field painting, Misc.; Shop Painting and Field Touch-Up of Structural Steel

PLOTTED BY: coop2
 PLOTTED DATE: 08/20/98
 PLOT SUBMITTED: 27-OCT-1998 07:19
 SHOP.DGN
 user@bkruse@12035@structure@john@shop.dgn

DESIGN AGENCY
 U.D.O.T.
 DISTRICT TWELVE
 L&D DEPARTMENT



REVIEWED DATE
 MJM 08/20/98
 STRUCTURE FILE NUMBER
 4305019

DRAWN
 JMB
 REVISED

DESIGNED
 BGW
 CHECKED
 GWM

SHOP PAINTING AND FIELD TOUCH-UP
 OF STRUCTURAL STEEL NOTES

LAKE COUNTY
 LAK-90-26.87

7H/24

37H
 54