

NOTE: NP shown in Liquid Limit and Plasticity Index* columns indicates that the material is non-plastic.
*Denotes sample taken at or near grade.

SUMMARY OF SOIL TEST DATA (Cont'd)

STATION & OFFSET	DEPTH	AGG.	C.S.	F.S.	SILT	CLAY	L.L.	P.I.	W.C.	CLASS.	STATION & OFFSET	DEPTH	AGG.	C.S.	F.S.	SILT	CLAY	L.L.	P.I.	W.C.	CLASS.	STATION & OFFSET	DEPTH	AGG.	C.S.	F.S.	SILT	CLAY	L.L.	P.I.	W.C.	CLASS.			
303+05	CL	0.5-4.0	24	3	9	33	11	30	15	25	A-6a*	425+00	95'Lt	0.0-5.0	20	6	12	25	37	11	13	A-7-6	458+00	CL	0.5-2.0	0	6	20	35	39	27	11	25	A-6a	
307+00	CL	0.0-5.5	11	4	8	28	16	31	12	14	A-6a	425+00	CL	5.0-9.0	0	5	11	32	52	33	11	17	A-6a	458+00	CL	2.0-4.0	0	17	35	16	32	24	9	17	A-6a
401+00	100'Lt	5.5-11.0	0	1	8	10	18	26	11	15	A-6a	425+00	CL	9.0-14.0	0	5	9	34	52	23	11	15	A-6a	458+00	110'Lt	4.0-5.0	0	17	35	16	32	24	9	17	A-6a
401+00	90'Lt	11.0-16.0	15	5	9	20	13	27	11	15	A-6a*	427+50	CL	0.0-5.0	12	5	9	32	42	29	11	13	A-6a*	460+00	CL	0.5-3.0	18	0	8	15	20	35	14	30	A-6a
401+00	90'Lt	16.0-20.0	10	5	10	29	16	26	11	16	A-6a	427+50	CL	5.0-9.0	11	4	8	27	50	33	13	9	A-6a*	460+00	CL	3.0-5.5	0	10	22	30	38	33	14	22	A-6a
405+00	CL	0.0-5.0	12	4	9	30	15	32	13	13	A-6a	429+50	CL	5.0-10.0	12	4	8	24	51	34	11	15	A-6a*	462+60	CL	5.5-10.0	16	5	9	20	41	20	11	14	A-6a
405+00	CL	5.0-10.0	17	4	7	27	18	31	12	15	A-6a	432+50	CL	8.0-12.0	13	4	8	29	46	33	14	14	A-6a	465+00	CL	10.0-13.0	7	6	10	33	19	11	14	A-6a	
409+00	CL	10.0-15.0	13	4	7	32	14	30	11	17	A-6a*	436+00	CL	0.0-5.0	15	6	9	24	46	34	14	15	A-6a*	468+00	CL	0.5-3.0	0	2	22	29	17	35	16	22	A-6a*
409+00	CL	15.0-20.0	19	5	27	36	14	NP	NP	13	A-6a*	438+00	CL	5.0-10.0	10	7	11	23	49	29	11	16	A-6a	468+00	95'Lt	3.0-6.0	0	7	11	37	45	33	11	15	A-6a*
413+00	CL	0.0-5.0	13	3	9	27	18	30	16	15	A-6a	441+00	CL	10.0-15.0	16	7	9	27	41	33	12	15	A-6a	472+00	95'Lt	6.0-8.0	0	1	4	30	65	31	12	23	A-6a
413+00	CL	5.0-10.0	18	5	9	26	12	31	13	15	A-6a	442+60	110'Lt	0.0-2.0	0	1	2	22	75	14	15	39	A-7-6	472+00	95'Lt	8.0-12.0	16	8	9	28	39	28	11	19	A-6a*
417+00	CL	10.0-12.0	16	4	7	22	15	23	12	14	A-6a	445+60	CL	2.0-4.0	11	1	4	33	51	14	20	28	A-7-6	472+00	95'Lt	12.5-18.0	12	8	9	29	42	27	11	18	A-6a
417+00	CL	0.0-5.0	11	5	10	23	51	33	14	15	A-6a	448+00	CL	4.0-6.0	0	3	16	37	44	37	17	23	A-6a	472+00	95'Lt	18.0-24.0	12	7	13	34	34	25	11	14	A-6a
417+00	CL	5.0-11.0	16	4	9	21	50	33	16	15	A-6a*	452+00	CL	0.0-5.0	0	2	8	35	55	10	13	18	A-6a	476+00	CL	0.0-5.0	0	6	10	32	52	23	11	15	A-6a
417+00	CL	11.0-14.0	8	15	25	15	38	22	7	15	A-6a*	455+00	CL	5.0-10.0	14	3	6	20	27	30	17	16	A-6a	476+00	CL	5.0-10.0	0	7	10	35	48	30	11	15	A-6a
419+00	95'Lt	14.0-19.0	14	5	11	29	41	25	11	20	A-6a	457+00	100'Lt	10.0-15.0	16	3	7	33	41	17	21	A-7-6	476+00	CL	10.0-15.0	0	6	11	45	38	27	11	15	A-6a*	
422+50	CL	0.5-5.0	0	5	10	31	54	36	14	16	A-6a	458+00	110'Lt	15.0-19.0	16	18	24	26	16	NP	NP	13	A-6a	476+00	CL	15.0-20.0	10	5	8	39	38	23	12	13	A-6a
422+50	CL	5.0-10.0	14	5	7	34	10	33	11	10	A-6a*	458+00	110'Lt	0.0-5.0	14	3	6	20	27	30	17	16	A-6a	476+00	CL	0.5-5.0	0	7	10	35	48	30	11	15	A-6a
423+00	CL	0.0-5.0	12	4	9	29	16	34	16	15	A-6a*	458+00	110'Lt	5.0-10.0	14	3	6	20	27	30	17	16	A-6a	476+00	CL	5.0-10.0	8	5	8	34	45	32	12	12	A-6a*
423+00	CL	5.0-9.5	20	1	8	27	11	31	12	16	A-6a	458+00	110'Lt	10.0-15.0	16	3	6	20	27	30	17	16	A-6a	476+00	CL	10.0-15.0	0	6	11	45	38	27	11	15	A-6a*
423+00	CL	9.5-11.0	12	4	8	31	15	29	11	17	A-6a	458+00	110'Lt	15.0-20.0	16	3	6	20	27	30	17	16	A-6a	476+00	CL	15.0-20.0	10	5	8	39	38	23	12	13	A-6a