



# SCHEMATIC PLAN

LAKE COUNTY  
LAK-90-6.71

OHIO  
FHWA  
REGION 5

2  
182




**CURVE DATA ①**  
P.I. STA. 310+04.63  
 $\Delta = 8^{\circ}30'40''$  RT.  
D = 0°28'  
R = 12,277.67'  
T = 913.59'  
L = 1823.81'  
E = 33.94'  
P.C. STA. 300+91.04  
P.T. STA. 319+14.85  
NORMAL CROWN

**CURVE DATA ②**  
P.I. STA. 365+79.77  
 $\Delta = 22^{\circ}03'35''$  RT.  
D = 0°28'  
R = 12,277.67'  
T = 2393.18'  
L = 4727.08'  
E = 231.06'  
P.T. STA. 25+13.31  
P.C. STA. 341+86.59  
NORMAL CROWN

STORM WATER POLLUTION CONTROL PLAN QUANTITIES

STATION		207			
		TEMPORARY DIKES	STRAW OR HAY BALES	FILTER FABRIC FENCE	
FROM	TO	INLET FILTER DIKES	BALE DITCH CHECK	LIN. FT.	
322+71.00	21+00.00	48	160	832	
21+00.00	96+00.00	72	160	928	
22+00.00	50+00.00	5600			
TOTALS:		5600	320	1760	
			440 EACH		



**BRIDGE NO. LAK-90-0877**  
EXIST. VERT. CL. 16.15' +/-  
PROP. VERT. CL. 16.05' +/-

**BRIDGE NO. LAK-90-0946**  
EXIST. VERT. CL. 16.35' +/-  
PROP. VERT. CL. 16.25' +/-

**BRIDGE NO. LAK-90-0946**  
EXIST. VERT. CL. 16.75' +/-  
PROP. VERT. CL. 16.65' +/-  
STA. 95+56.10  
CORP. LIMIT

T:\DGN\LAK-90\SCHEMATIC\057746SADGN

E:\Vp\Lak-90\scemal\057746s.dwg Sep 12 1994 08:24:57