


BASIS OF BEARINGS:  
 GRID NORTH (OHIO STATE PLANE NORTH ZONE)  
 Based on GPS observation from Lake County  
 Control Monument # 0032

LINE	LENGTH	BEARING
L1	30.00	S89°16'03"W
L2	55.85	N31°37'13"E
L3	35.72	N49°52'33"E

CURVE	Delta	Length	Radius	Tangent	Chord	Chord Bearing	Chord Distance
C1	2°31'58"	30.01	678.91'	15.01'	N89°55'48"W	30.01'	
C2	90°00'00"	47.13'	30.00'	30.01'	N44°38'10"E	42.43'	
C3	4°59'35"	102.45'	1175.92'	51.27'	N47°22'33"E	102.45'	
C4	2°39'25"	264.30'	5699.58'	132.17'	N46°11'56"E	264.28'	



This Plat was prepared without the benefit of an abstract of Title and is subject to any state of facts revealed by an examination of the same.

This Plat represents a Survey which meets the minimum standards for a Boundary Survey in the State of Ohio as specified in the Administrative Code Chapter 4733-37 Surveyed in December, 2008 by Foresight Engineering Group, Inc. Under the supervision of Steven N. Roessner, P.S. #7070

*Steven N. Roessner*  
 Steven N. Roessner, P.S. #7070  
 Foresight Engineering Group, Inc.  
 6/17/13 Date

