


FOR DRAINAGE QUANTITIES SEE SHEET N^o 21

FHWA REGION	STATE	PROJECT
5	OHIO	

31
171

LAKE COUNTY
LAK-2-0.00




BEGIN WORK
STA. 85+50

STA. 86+50
STD. N^o 4 C.B. 7' LT.
GRATE ELEV. 637.2
FL. 15" S=633.2
EX. MH. 3' RT.
TO BE RECONSTRUCTED TO GRADE
TC=6391*

AREA TO BE REGRADED, SEE CROSS SECTIONS

STA. 90+50 BEGIN CONCRETE
BARRIER WALL TYPE 'D',
AND SHOULDER WIDENING, LEFT

PROPOSED 6' DRAINAGE SLOTS
SEE DETAIL SHEET 48



85 10'-15" TYPE C @ 10%
STANDARD BARRIER
WALL END TERMINAL

40:1 TAPER

MATCH LINE STA. 95+00

STA. 86+00 BEGIN 770' TRANSITION
(40:1 TAPER) OF CONCRETE
BARRIER WALL TYPE 'D',
AND SHOULDER WIDENING, RIGHT

STA. 93+70 END 770' TRANSITION OF
CONCRETE BARRIER WALL, TYPE 'D'