


① CURVE DATA
 D = 1° 00'
 Δ = 2° 30'
 L = 255.0
 R = 5729.580
 T = 125.020
 Ch = 249.980
 E = 1.291

650.67 650.75 650.84 650.92 651.00 651.09 651.17 651.25 651.34 651.42 651.51 651.61 651.72 651.87 652.04 652.26 652.45 652.72 652.98 653.28 653.60 653.95 654.33 654.72 655.05 655.37 655.99 656.27 656.52 656.72 656.87 656.98 657.05 657.08 657.05 656.99 656.88 656.73 656.53 656.28 655.99 655.66 655.29 654.87 654.41 653.90 653.35 652.75 652.11 651.43 650.70 649.20 647.70 646.20 645.45 644.80 644.34 644.20 644.30 644.60 644.91 644.22 644.32

6" UNDERDRAINS						
REF. NO.	STATION		SIDE R OR L	I-4 LIN. FIT.		I-5 EACH
	FROM	TO		SHALLOW	8" OUTLET PIPE	
I-F	0+00	15+45	L	1578	18	1
R-F	15+45	RUSHRD	L	114	0	1
TOTALS				1692	26	2

I-15 GUARD RAIL				
REF. NO.	STATIONS		SIDE	N ^o 2-B STANDARD LIN. FT.
	FROM	TO		
I-G	4+50	11+50	L	700.0

6-25 ELECTRICAL DUCT			
REF. NO.	LOCATION	SIZE	LENGTH
			LIN. FT.
I-L	STA. 6+70	2-2"	32
2-L	STA. 16+00	2-2"	25
TOTALS			57



PLAN & PROFILE... RAMP No. 5 STA. 0+00 TO STA. 16+57.646