


STA.	A	C	B
16+00	630.50	630.72	630.50
16+22.35	630.58	630.80	630.58
16+25	630.61	630.81	630.59
16+50	630.75	630.90	630.68
16+75	630.87	630.97	630.75
17+00	630.95	631.00	630.78
17+22.35	630.99	630.99	630.77
17+25	631.00	630.99	630.77
17+50	631.06	630.96	630.74
17+75	631.10	630.90	630.68
18+00	631.13	630.84	630.55
18+02.35	631.14	630.84	630.54
18+25	631.17	630.78	630.39
18+50	631.20	630.72	630.24
18+75	631.23	630.66	630.09
18+02.35	631.24	630.64	630.04
19+00	631.20	630.60	630.00
19+25	631.14	630.54	629.94
19+50	631.08	630.48	629.88
19+70	631.03	630.43	629.83
19+75	631.02	630.42	629.82
20+00	630.96	630.36	629.76
20+25	630.90	630.30	629.70
20+50	630.84	630.24	629.64
20+75	630.78	630.18	629.58
21+00	630.72	630.12	629.52
21+25	630.66	630.06	629.46
21+50	630.60	630.00	629.40
21+70	630.55	629.95	629.35
21+75	630.54	629.94	629.34
22+00	630.48	629.88	629.28

TRANSITION  
FULL SUPER 0.042 FR./FT.  
RUNOFF



REF. NO.	STATION FROM	STATION TO	SIDE R. or L.	I-4 SHALLOW	LIN. FT.
1-F	12+00	17+55	L	556	
2-F	12+00	22+00	R	990	
<b>TOTALS</b>					<b>1546</b>

ITEM NO.	STATION	MONUMENT BOX ASSEMBLY TYPE A	TYPE B
I-M	PC 18+02.35		1
<b>TOTALS</b>			<b>1</b>

REF. NO.	STATION	SIDE R. or L.	T-35 PAV'T. CU.YDS.	B-19 5" AGG. BASE CU.YDS.	E-1 EXCAV. CU.YDS.	I-1 12" PIPE FOR DRIVE STD. LIN. FT.	I-15 12" PIPE STD. LIN. FT.
I-A	15+94±	R.	14	35	40	20	125

REF. NO.	STATION	SIDE R. or L.	CLASS	LIN. FT.	I-8 EACH		I-10		I-12		I-15		I-18	
					STD. C.B. #3-A	STD. M.H. #1	ROCK CHANNEL PROT.	CONCRETE	STEEL STRUCTURE	STEEL FOR STRUCTURE	REINF. FOR PIPE	EXCAV. FOR PIPE		
1-5	12+00 TO 16+80	BOTH	Class A	472	2	2	40	5.7	22.5	7				
2-5	17+80± TO 18+60±	L	Class A	90	1	1	35	27	9.2	40.3	13			
3-5	20+25± TO 22+00	BOTH	Class A	90	2	2	75	27	14.9	62.9	20			
<b>TOTALS</b>				<b>4872</b>	<b>4</b>	<b>4</b>	<b>150</b>	<b>59.6</b>	<b>46.6</b>	<b>170.7</b>	<b>100</b>			

