


01-9


F-16

LAKE COUNTY
LAK-2-14.22



FOR POWER ADJUSTMENTS
SEE SHEET NO. 284

FOR PAVEMENT ELEVATIONS
SEE SHEET NO. 216



(A-2)
CURVE DATA
Δ = 10°14'52"
D = 5°00'00" Rt.
R = 1145.92'
L = 204.96'
T = 102.75'

(D) DRAINAGE

REF. NO.	STATION	SIDE	I-1		I-5		I-16	
			6" PIPE CLASS I-3 SHALLOW L.F.	8" PIPE CLASS F-1 L.F.	6" 60° BEND FOR CL. I-3 EA.	M.H. ABAND. EA.		
I-D	41+00 TO 44+77	LT.	367	10				
2-D	42+71	LT.						
TOTAL			367	10				

(U) UTILITIES


REF. NO.	STATION	SIDE	I-124.10		I-124.11		I-8	
			SERVICE BOXES ADJUSTED TO GRADE EA.	WATER METERS & BOXES REMOVED & RESET EA.	M.H. RECONSTR. TO GRADE EA.			
I-U	43+15	RT.						
2-U	42+45	LT.						
TOTAL								

(P) PAVEMENT

REF. NO.	STATION	SIDE	B-19		I-22		I-23		T-30		T-35		T-71	
			AGGR. BASE COURSE C.Y.		SUB-BASE C.Y.	PRECAST CONC. TRAFFIC DIVIDERS EA.	BIT. PRIME COAT GAL.	ASPH. CONC. SURF. COURSE C.Y.	REINF. PORT. CEM. CONC. PAV'T. 9" S.Y.					
I-P	41+00	RT.			28	21								
2-P	44+25	RT.	5					5	3					
TOTAL			5		28	21	5	3						

(R) ROADWAY

REF. NO.	STATION	SIDE	E-1		E-8		L-9		I-18		M-10		SPECIAL	
			COMP. SUB-GRADE S.Y.	REMOVAL & DISPOSAL OF EXIST. PAV'T. S.Y.	COMMER. FERTILIZER TONS	SEEDING & PROTECT S.Y.	CRUSHED AGGR. C.Y.	CALCIUM CHLORIDE TON	MIXING CHLORIDE & AGGR. S.Y.					
I-R	41+00	RT.	1,665											
2-R	44+25	RT.	21		4									
3-R	41+00	RT.			856	0.147	1,632	73	0.460	438				
TOTAL			1,686		860	0.147	1,632	73	0.460	438				



EXCAVATION	=	279 C. Y.
EMBANKMENT	=	668 C. Y.
EMBANKMENT +20 %	=	802 C. Y.