



NOTE: For location and offsets for Retaining Wall see sheet No.120.

LAKE COUNTY
LAK.-2-14.22



PLAN & ELEVATION OF RETAINING WALL

FOR FRONTAGE ROAD—EAST DETAILS
SEE SHEET NO. 120



N.F. Denotes Near Face
F.F. Denotes Far Face
E.F. Denotes Each Face


GENERAL NOTES

DESIGN SPECIFICATIONS: Design Specifications for Highway Structures of the State of Ohio Department of Highways dated September 1, 1960 together with current revisions thereof.
Maximum Design foundation pressure 11 Tons/Sq. Ft.

* ESTIMATED QUANTITIES

ITEM	UNIT	TOTAL	DESCRIPTION
E-2	Cu.Yds.	4.9	Excavation (Unclassified)
S-1	Cu.Yds.	9.2	Concrete (Class E)
S-3	Lin.Ft.	1.8	Premoulded Sealing Strip, Waterproofing
S-4	Lbs.	2122	Reinforcing Steel
S-9	Sq.Ft.	1.4	Performed Expansion Joint Material (1")
S-29	Cu.Yds.	1.9	Porous Backfill

* Quantities carried to sheet No.120.



PLAN & ELEVATION OF RETAINING WALL

PREPARED BY
CAPITOL ENGINEERING ASSOCIATES, DILLSBURG, PA.
FOR

STATE OF OHIO
DEPARTMENT OF HIGHWAYS
DIVISION OF DESIGN AND CONSTRUCTION
BUREAU OF BRIDGES

RETAINING WALL
EAST WALL — NEWELL STREET
LAKE COUNTY

STA. 2 + 50 TO 3 + 81

DESIGNED	DRAWN	TRACED	CHECKED	REVIEWED DATE	REVISED
h	h	h	h		