

g:\project\lak\13486\lighting\sheet\13486LSS004.dgn 7/11/2008 8:59:35 AM dshamer

REFERENCE NO.	SHEET NO.	SIDE	ROADWAY	STATION TO STATION	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625		
					CONDUIT, 2", 725.05 FT	CONDUIT, 3", 725.05 FT	CONDUIT, 4", 725.05 (MEDIAN BARRIER) FT	CONDUIT - JACKED OR DRILLED UNDER PAVEMENT FT	LUMINAIRE, CONVENTIONAL, AS PER PLAN EA	LUMINAIRE, LOW MAST, AS PER PLAN (SYMMETRIC) EA	LUMINAIRE, LOW MAST, AS PER PLAN (ASYMMETRIC TYPE II) EA	LUMINAIRE, LOW MAST, AS PER PLAN (ASYMMETRIC TYPE III) EA	LUMINAIRE, POST TOP, AS PER PLAN EA	LUMINAIRE, UNDERPASS, AS PER PLAN EA	TRENCH FT	TRENCH IN PAVED AREA, TYPE B FT	TRANSITION JUNCTION BOX EA	STRUCTURE JUNCTION BOX EA	BARRIER JUNCTION BOX EA	PULL BOX, 725.06, 17"x30" EA	GROUND ROD EA	STRUCTURE GROUNDING SYSTEM EA	POWER SERVICE, AS PER PLAN EA	SPECIAL-PLASTIC CAUTION TAPE FT	SERVICE TO UNDERPASS LIGHTING, AS PER PLAN EA	SPECIAL-MAINTAIN EXISTING LIGHTING LUMP	LIGHTING, MISC.: UNDERPASS LIGHTING SYSTEM LUMP
E-6	1241	CL	SR 2	285+89.67-287+24.67			135																				
NA-15	1241	CL	SR 2	287+24.67						1								1		2							
E-7	1241	CL	SR 2	287+24.67-288+59.67			135																				
NA-16	1241	CL	SR 2	288+59.67						1									1		2						
E-8	1241	CL	SR 2	288+59.67-289+94.67			135																				
NA-17	1241	CL	SR 2	289+94.67															1		2						
E-9	1241	CL	SR 2	289+94.67-291+50.80			156																				
NA-18	1241	CL	SR 2	291+50.80						1									1		2						
E-10	1241	CL/RT	SR 2	291+50.80-291+10.15				89																			
PB-6N	1241	RT	SR 2	291+10.15																	1						
E-11	1241	CL/LT	SR 2	291+50.80-291+97.04				88																			
PB-5N	1241	LT	SR 2	291+97.04																	1						
E-12	1241	RT	SR 2	291+10.15-292+39.16								5										5					
NA-19	1241	RT	SR 2	292+39.16																							
E-13	1241	LT	SR 2	291+97.04-292+50.00								20										20					
E-14	1241	CL	SR 2	291+50.80-292+50.00			99																				
R-1	1242	CL	SR 2	295+44.28																							
R-2	1242	CL	SR 2	299+84.94																							
R-3	1242	RT	SR 2	304+53.96																							
R-4	1242	LT	SR 2	304+73.43																							
R-5	1242	LT	SR 2	304+36.94																							
E-1	1242	LT	SR 2	292+50.00-292+76.42																							
NA-20	1242	LT	SR 2	292+76.42																							
E-2	1242	CL	SR 2	292+50.00-293+78.40			129																				
NA-21	1242	CL	SR 2	293+78.40																							
E-3	1242	CL	SR 2	293+78.40-295+15.52			137																				
NA-22	1242	CL	SR 2	295+15.52																							
E-4	1242	CL	SR 2	295+15.52-296+51.14			136																				
NA-23	1242	CL	SR 2	296+51.14																							
E-5	1242	CL	SR 2	296+51.14-297+82.00			131																				
NA-24	1242	CL	SR 2	297+82.00																							
E-6	1242	CL	SR 2	297+82.00-299+21.44			140																				
NB-1	1242	CL	SR 2	299+21.44																							
E-7	1242	CL	SR 2	299+21.44-300+56.62			135																				
NB-2	1242	CL	SR 2	300+56.62																							
E-8	1242	CL	SR 2	300+56.62-301+85.00			128																				
NB-3	1242	CL	SR 2	301+85.00																							
E-9	1242	CL	SR 2	301+85.00-303+26.10			141																				
NB-5	1242	CL	SR 2	303+26.10																							
E-10	1242	CL	SR 2	303+26.10-304+56.71			131																				
NB-7	1242	CL	SR 2	304+56.71																							
E-11	1242	CL	SR 2	304+56.71-305+00.00			43																				
E-12	1242	CL/LT	SR 2	301+85.00-301+83.90				85																			
PB-7N	1242	LT	SR 2	301+83.90																							
E-13	1242	LT	SR 2	300+63.64-301+83.90								119										119					
NB-4	1242	LT	SR 2	300+63.64																							
E-14	1242	LT	SR 2	301+83.90-303+65.20								179										179					
NB-6	1242	LT	SR 2	303+65.20																							
E-15	1242	LT	SR 2	303+65.20-305+00.00								135										135					
TOTALS CARRIED TO GENERAL SUMMARY					0	0	1911	262	0	13	2	2	0	0	458	0	2	2	13	3	30	1	0	458	0	0	0

LIGHTING SUBSUMMARY

CALCULATED
JMS
CHECKED
ZFB

LAK - 2 - 3.32

1207
1679