

g:\project\lak\13486\lighting\sheet\13486LSS035.dgn 7/11/2008 9:04:23 AM dshaner

REFERENCE NO.	SHEET NO.	SIDE	ROADWAY	STATION TO STATION	202	202	202	202	202	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625	625		
					PULL BOX REMOVED	LIGHT TOWER REMOVED, AS PER PLAN	POWER SERVICE REMOVED, AS PER PLAN	LIGHT TOWER FOUNDATION REMOVED	REMOVAL MISC.: UNDERPASS LIGHTING SYSTEM	CONNECTOR KIT, TYPE II	CONNECTOR KIT, TYPE III	CABLE SPLICING KIT	LIGHT POLE- DECORATIVE, AS PER PLAN	LIGHT POLE, MISC.: LOW MAST, DESIGN ATLM39	LIGHT POLE, MISC.: LOW MAST, DESIGN ATLM20	LIGHT POLE, MISC.: LOW MAST, DESIGN ALM35	LIGHT POLE, MISC.: LOW MAST, DESIGN ALM15	LIGHT POLE ANCHOR BOLTS, MISC.: SET FOR PILASTER OR BARRIER MOUNTED LIGHT POLE	LIGHT POLE FOUNDATION, 24"x8' DEEP	MEDIAN LIGHT POLE FOUNDATION, 10' DEEP	NO. 6 AWG 600 VOLT DISTRIBUTION CABLE	NO. 1/0 AWG 5000 VOLT DISTRIBUTION CABLE	NO. 4 AWG 5000 VOLT DISTRIBUTION CABLE	NO. 2 AWG 5000 VOLT DISTRIBUTION CABLE	NO. 10 AWG POLE AND BRACKET CABLE	1-1/2" DUCT CABLE WITH THREE NO. 4 AWG 5000 VOLT CABLES	1-1/2" DUCT CABLE WITH THREE NO. 2 AWG 5000 VOLT CABLES	CONDUIT, 1", 725.04	CONDUIT, 2", 725.04	CONDUIT, 1", 725.05
EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA
E-1	1260	CL	SR 2	492+50.00-492+71.42																										
RD-16	1260	CL	SR 2	492+71.42						2						1				1										
E-2	1260	CL	SR 2	492+71.42-494+07.97																										
RD-17	1260	CL	SR 2	494+07.97						2						1				1										
E-3	1260	CL	SR 2	494+07.97-495+40.12																										
RD-18	1260	CL	SR 2	495+40.12						2						1				1										
E-4	1260	CL	SR 2	495+40.12-496+71.16																										
RE-1	1260	CL	SR 2	496+71.16						2						1				1										
E-5	1260	CL	SR 2	496+71.16-498+03.14																										
RE-2	1260	CL	SR 2	498+03.14						2						1				1										
E-6	1260	CL	SR 2	498+03.14-499+36.86																										
RE-3	1260	CL	SR 2	499+36.86						2						1				1										
E-7	1260	CL	SR 2	499+36.86-501+04.00																										
RE-4	1260	CL	SR 2	501+04.00						2						1				1										
E-8	1260	CL	SR 2	501+04.00-502+72.00																										
RE-5	1260	CL	SR 2	502+72.00						2						1				1										
E-9	1260	CL	SR 2	502+72.00-503+82.02																										
RE-6	1260	CL	SR 2	503+82.02						2						1				1										
E-10	1260	CL	SR 2	503+82.02-505+00.00																										
E-1	1261	CL	SR 2	505+00.00-505+14.13																										
RE-7	1261	CL	SR 2	505+14.13						2						1				1										
E-2	1261	CL	SR 2	505+14.13-506+45.16																										
RE-8	1261	CL	SR 2	506+45.16						2						1				1										
E-3	1261	CL	SR 2	506+45.16-507+80.24																										
RE-9	1261	CL	SR 2	507+80.24						2						1				1										
E-4	1261	CL	SR 2	507+80.24-509+10.17																										
RE-10	1261	CL	SR 2	509+10.17						2						1				1										
E-5	1261	CL	SR 2	509+10.17-510+41.33																										
RE-11	1261	CL	SR 2	510+41.33						2						1				1										
	1262	LT/RT	VINE ST.																											
E-1	1264	LT	SR 2	465+80.97-466+72						2																				
E-2	1264	LT	SR 2	466+73																										
E-3	1264	LT/RT	SR 2	466+73-466+72																										
E-4	1264	RT	SR 2	466+72																										
E-5	1264	RT	SR 2	466+72-467+13																										
E-6	1264	RT	SR 2	467+13																										
E-7	1264	RT/LT	SR 2	467+13-467+14																										
E-8	1264	RT/LT	SR 2	467+14																										
TOTALS CARRIED TO GENERAL SUMMARY					0	0	0	0	1	30	0	0	0	1	0	13	0	0	1	13	0	0	1521	5679	988	0	0	57	0	95

LAK - 2 - 3.32

LIGHTING SUBSUMMARY

CALCULATED
JMS
CHECKED
ZFB

1238
1679