

- M. Other permits may be required by Ohio EPA. For information concerning application procedures, contact the Ohio EPA District Office at the following address:
- Northeast District office  
2110 East Aurora Road  
Twinsburg, Ohio 44087
- N. Representatives from the Ohio EPA, Division of Surface Water will be allowed to inspect the authorized activity at any time deemed necessary to insure that it is being or has been accomplished in accordance with the terms and conditions of this water quality certification.
- O. In order to protect the Indiana bat from impacts from this development, the applicant shall not cut bat habitat trees between April 15<sup>th</sup> and September 15<sup>th</sup>.
- P. The bottom elevations shall be restored as nearly as possible to pre-project conditions.
- Q. Blasting will not be done within or near stream channels without prior consultation with the Ohio Department of Natural Resources, Division of Wildlife, to determine what protective measures should be taken to minimize damage to fish and other aquatic life.
- R. Cadmium chromium arsenate (CCA) and creosote treated lumber shall not be used in structures in contact with waters of the state.
- S. This project may affect the drinking water wells for the adjoining City/Village. Precautions must be taken to limit any affect on the water supply. Officials at the City/Village should be notified before beginning the project and activities shall be coordinated with them.
- T. If pesticide application(s) are proposed for the control of invasive plant species, a site specific application permit must be obtained by calling 614-644-2001 and speaking with the Toxicology Specialist.

### III. MITIGATION

#### A. Description of Required Wetland Mitigation

The Permittee shall compensate for the 3.53 acres of impacts to jurisdictional wetlands by purchasing a minimum of 5.4 mitigation credits from the Trumbull Creek Wetlands Mitigation Bank, located on SR 166 along the Ashtabula-Geauga County line.